
# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



Season 1935-1936

# TREE SEEDS



# COMPLETE PRICE LIST

of



| Seeds of Conifers   |  | 3  |
|---------------------|--|----|
| Seeds of Trees and  | Shrubs   | 5  |
| Seeds of Fruit Tree | S  | 13 |
| Seeds of Palms      | ***************************************  | 13 |
| Tropical and Sub-Tr | opical Plants  | 13 |
| Lining-Out Stock    |  | 15 |
| Fruit Tree Seedling | S  | 19 |
| Fruits              | A STATE OF THE STA | 19 |
| Small Fruits        | de 1111  | 19 |
| Woodsgrown Stock    | M NOV 1 3 / JAN 3  | 20 |
| Medicinal Roots and | Seeds  | 21 |
| Books               | and the state of the second  | 23 |
| Sundries            |  | 24 |

# KATZENSTEIN & CO.

Successors to
OTTO KATZENSTEIN & COMPANY

Tree Seed Specialists

THIRTY-EIGHT YEARS IN BUSINESS

1897



1935

109 DRUID CIRCLE, N. E. P. O. BOX 259 ATLANTA, GEORGIA, U. S. A.

Registered Cable Address: Treeseeds, Atlanta, Ga.

Our Pamphlet, "HOW TO MAKE TREE SEEDS GROW," 25¢ a Copy. Free on Request with Orders over \$1.00.

# THE FOLLOWING CONDITIONS GOVERN ALL TRANSACTIONS:

THE PUBLICATION OF THIS LIST CANCELS ALL PREVIOUS QUOTATIONS.

TERMS: Cash. Thirty days net or 2% discount for cash within ten days from date of invoice to domestic book consumers. All bills due and payable 30 days from date of invoice. Interest of 6% charged after 30 days. Discount of 3% on cash with order. We expect remittance with order or other arrangements, satisfactory to us, from our foreign customers. Prices are quoted and remittances are expected in United States Money.

ALL SHIPMENTS travel at customer's risk. After having taken receipt of transportation companies we are not responsible for delays, losses or injury to shipment while in transit. Customer's redress is with transportation com-

panies only.

PARCEL POSTAGE. Domestic rates are governed by zone tariff. Parcel postage into foreign countries is 14c per pound or fraction of pound. In addition to this a number of countries require payment of a surtax. Remittances should cover sufficient amounts for postage, etc.

NON-WARRANTY. We use the greatest care to have all our seeds, bulbs, plants, etc., pure and reliable, but they are sold without warranty and without responsibility, express or implied, in respect to the crop. All sales are made under these terms. We are under no circumstances to be held responsible beyond the invoiced value of our goods and WE CANNOT, UNDER ANY CIRCUMSTANCES, CONSIDER ANY CLAIM AFTER THE GOODS HAVE BEEN PLANTED. All claims must be made on receipt of goods.

This list is published before the actual extent of some crops of trees and shrub seeds, offered in it, is known and our acceptance of orders is not a warranty for delivery but is subject to crop accidents and limitations of crops. Failing to receive the full amounts ordered from our collectors and growers we reserve the right to reduce proportionately all orders which have been booked or to fill orders in rotation while the supply lasts.

The U.S. Plant Quarantine and Control Administration has now prohibited the importation of any tree seeds in their natural hull. The removal of the outer hulls has naturally affected the prices of seeds which in the past

could be imported as gathered.

MEMBER American Association of Nurserymen
Southern Nurserymen's Association
Societe Dendrologique de France
Deutsche Dendrologische Gesellschaft, etc., etc.



# STANDARDIZED PLANT NAMES is authority

#### for our nomenclature

# Conifers

| Half ounce and quarter pound at ounce and pound rates, res   |              |                |
|--|--------------|----------------|
| seeds invoiced for less than 15 cents. No invoice for less than 2 tations on large quantities given by letter. | o cents.     | Quo-           |
|  | OZ.          | LB.            |
| ABIES  "balsamea, Balsam F   | dt 25        | #2 0A          |
| " brachyphylla, see homolepis.   | \$ .35       | \$2.80         |
| " cephalonica, Greek Fir   | . 30         | 3,20           |
| " cilicica, cilician F   | . 40         | 3.75           |
| " concolor, White Fir" concolor violacea   | . 25         | 2.00<br>2.75   |
| " firma, Momi F  | . 25         | 2.00           |
| " fraseri, Fraser F  | . 50         | 5.00           |
| " grandis, Great Silver F " homolepis, Nikko F   | .35          | 3.50           |
| " lasiocarpa (subalpina), Alpine F   | .50          | 4.50           |
| " magnifica, Red F   | . 35         | 3.50           |
| " mariesi, Maries F  | .40          | 3.50           |
| " nobilis, Noble F   | . 50         | 4.50<br>3.45   |
| " pectinata, European Silver F   | . 20         | 1.25           |
| " pinsapo, Spanish F   | . 30         | 2.00           |
| " sibirica, Siberian F veitchi, Veitch F   | .60          | 5.25           |
| vencin, vencin F   | . 30<br>100  | 2.20           |
|  | Seeds        | Seeds          |
| ARAUCARIA bidwilli, Bunya-Bunya  | -8.00        | 70.00          |
| " excelsa, Norfolk-İsland Pine " imbricata, Monkeypuzzle   | 2.50<br>1.50 | 22.50<br>12.50 |
| imoricata, wonkeypuzzie  | OZ.          | LB.            |
| CEDRUS atlantica, Atlas Cedar  | . 40         | 3.45           |
| " atlantica argentea   | .45          | 3.85           |
| " deodara, Deodar (ask for quantity prices) " libani, Cedar of Lebanon   | . 40<br>. 40 | 2.90           |
| CEPHALOTAXUS drupacea, Japanese Plum-Yew   | . 20         | 1.50           |
| CHAMAECYPARIS lawsoniana, Lawson Cypress   | . 25         | 2.00           |
| " obtusa, Kinoki C   | . 25         | 1.70           |
| " pisifera, Sawara Retinospora   | .25          | 2.00           |
| CUNNINGHAMIA lanceolata (sinensis) Chinese Fir   | .40          | 3.50           |
| CUPRESSUS arizonica, Arizona Cypress   | .30          | 2.80           |
| " benthami, Bentham C  | . 40         | 3.75           |
| " funebris, Mourning C glabra, Smooth C  | . 40         | 3.75 2.80      |
| " goveniana, Gowen C   | .45          | 4.00           |
| " lusitanica, Portuguese C   | .45          | 4.00           |
| " macrocarpa, Monterey C   | . 30         | 3.00           |
| " sempervirens, Italian C s. fastigiata, Pyramidal I. C  | .25          | 1.50           |
| " s. horizontalis, Spreading I. C  | .25          | 1.50           |
| " torulosa, Bhutan C   | 35           | 3.00           |
| GINKGO biloba, Maidenhair-tree   | . 15         | 1.10           |
| JUNIPERUS bermudiana, Bermuda Redcedar   | .30          | 3.00           |
| " chinensis, Chinese J   | .30          | 2.50           |
| " chinensis sargenti, Sargent J  | . 65         | 6.50           |
| communis, Common J   | . 15<br>. 20 | 1.40           |
| " communis canadensis, Prostrate J   | . 20         | 1.80           |
| " conferta (litoralis), Shore I  | .65          | 6.00           |
| " excelsa, Greek J   | :35          | 3.20           |
| monosperma, Cherrystone J  | . 35<br>. 40 | 2.50 3.00      |
| " rigida, Needle J   | .30          | 1.90           |
| " sabina, Savin  | .70          | 6.00           |
| " scopulorum, Colorado J   | .20          | 1.70           |
| " scopulorum (from Montana)virginiana, Redcedar, Platte River type (100 lbs. \$90.00)                          | . 30         | 2.00           |
| "virginiana, Southern type (100 lbs. \$75.00)  | . 15         | 1.00           |
|  |              |                |

NOTE MATERIAL PRICE REDUCTIONS

|   | 0.5          |              |
|---|--------------|--------------|
| FARVE Literate Defended For to                                | OZ.          | LB.          |
| LARIX dahurica, Dahurian Larch                                | .40<br>.25   | 3.75<br>2.25 |
| " europaea, European L leptolepis, Japanese L                 | . 25         | 4.25         |
| " sibirica, Siberian L  | .50          | 5.00         |
| * sudetica  | .40          | 3.80         |
| LIBOCEDRUS decurrens, California Incense-Cedar                | .30          | 2.45         |
| PICEA ajanensis, see jezoensis.                               | ***          |              |
| " canadensis (alba), White Spruce                             | .30          | 2.50         |
| " canadensis albertiana, Black Hills Spruce                   | .70          | 6.25         |
| " engelmanni, Engelmann Spruce                                | .50          | 4.50         |
| excelsa, Norway Spruce (ask quantity prices)                  | 20           | 1.70         |
| glenn, Sakhann S  | . 75         | 7.00         |
| jezoensis, Yeddo Skoyamai, Koyamai S                          | .75<br>.75   | 7.00         |
| Koyamai, Koyamai S  | 5.00         | 45.00        |
| " orientalis Oriental S                                       | 1.30         | 12.50        |
| " notite Tirertails   | .55          | 4.50         |
| " pungens, Colorado S. (North Colo.)                          | ,50          | 4.00         |
| " pungens argentea, Handpicked                                | 1.00         | 9.00         |
| pungens glauca, Colorado Blue S                               | .70          | 6.50         |
| " rubra, Red S sitchensis (menziesi) Sitka S                  | .50          | 4.50         |
| PINUS aristata, Bristlecone P.                                | .50          | 4.00         |
| " attenuata (tuberculata) Knobcone Pine                       | .75          | 7.00         |
| " austriaca, see P. nigra.                                    |              |              |
| " banksiana, Jack Pine  | .45          | 4.25         |
| buugeana, Lacebark P  | .40          | 3.20         |
| " canariensis, Canary P                                       | .30          | 2.50         |
| caribaea, Siash P. (Ask Quantity Prices)                      | .40          | 3.80         |
| " cembra, Swiss Stone P                                       | . 20<br>. 80 | 1.15         |
| " coulteri, Coulter P   | .55          | 5.00         |
| densiflora, Japanese Red P                                    | .25          | 2.00         |
| echinata (mitis). Shortleaf P                                 | ,65          | 6,25         |
| " edulis, Nut P. (Pinyon)                                     | .20          | 1.75         |
| excelsa, Himalayan P  | .25          | 2.20         |
| flexilis, Limber P  | .35          | 3.20         |
| halepensis, Aleppo P  | . 25         | 2.00         |
| " jeffreyı, Jeffrey P   | .30          | 3.20         |
| " koraiensis, Korean P  | . 25         | 2.00         |
| " lambertiana, Sugar P  | . 25         | 2.50         |
| " laricio, Corsican P   | .60          | 5.65         |
| " larico austriaca, see P. nigra.                             |              | <b></b>      |
| leucoderinis, Graybark P                                      | . 60         | 5.00         |
| " maritima, see P. pinaster. " massoniana, see P. densiflora. |              |              |
| " montana, Swiss Mountain Pine                                | .40          | 3.50         |
| montana mughus, Mugho P. (many-branched)                      | .30          | 2.50         |
| " monticola, Western White P                                  | .60          | 5.00         |
| " muricata, Bishop P  | .75          | 7.00         |
| " murrayana, Lodgepole P                                      | .75          | 5.75         |
| nigra, Austrian P   | .30          | 2.20         |
| " palustris, Longleaf P parviflora, Japanese White P          | . 25<br>. 40 | 2.10 3.60    |
| " patula, Jelecote P. (Old Mexico)                            | .85          | 8.00         |
| " peuce, Macedonian P   | .40          | 3.60         |
| " pinaster (maritima). Cluster P                              | .15          | 1.10         |
| " pinea, Italian Stone P                                      | . 15         | 1.10         |
| " ponderosa, Western Yellow P. Colo                           | . 25         | 2.15         |
| radiata (insignis), Monterey P                                | . 45         | 4.00         |
| resmosa, Red P  | .80          | 7.50         |
| " rigida, Pitch P" sabiniana, Digger P                        | .60<br>.20   | 5.00         |
| strobus, White P.   | .35          | 3.20         |
| " sylvestris, Scotch P  | .30          | 2.00         |
| sylvestris, from Scotland                                     | .65          | 6.00         |
| e "; sylvestris rigensis, Riga P                              | . 55         | 4.00         |
| (45) taeda, Loblolly Pine, Oldfield P                         | .50          | 4.00         |
|   | 1.80         | 15.00        |
| teocote, (Old Mexico)thunbergi, Japanese Black P              | 1.20         | 1.80         |
| thunbergi, Japanese Black Ptorreyana, Torrey P                | . 23         | 6.50         |
| toffeyana, forfey 1   |              | 3.50         |
| PODOCARPUS macrophylla Yew Podocarpus                         | . 25         | 2.00         |
| " nagi, Japanese P  | . 25         | 2.00         |
| " sinensis, Chinese P   | .25          | 2.00         |
|   |              |              |

|  | OZ.    | LB.   |
|--|--------|-------|
| PSEUDOLARIX kaempferi (amabilis) Goldenlarch   | .60    | 5.50  |
| PSEUDOTSUGA douglasi, gray, Colorado   | .50    | 5,00  |
| " douglasi, green, Calif   | .85    | 7.00  |
| " douglasi, green West Wash-Oregon   | .85    | 7.00  |
| Ask for quantity prices—also for prices on particular stra   | ing    |       |
| or particular altitudes.   | ****** | . 4   |
| SCIADOPITYS verticillata, Umbrella Pine  | .40    | 3,50  |
| SEQUOIA gigantea, Giant S. Big Tree  | 1.00   | 8.75  |
| " sempervirens, Redwood  | .50    | 4.50  |
| TAXODIUM distichum, Common Baldcypress   | .15    | 1.25  |
| " mucronatum, Montezuma B  | .85    | 8.00  |
| TAXUS baccata, English Yew   | .30    | 2.50  |
| " baccata pyramidalis, Irish Yew   | .40    | 3.50  |
| " cuspidata, Japanese Y  | .25    | 2.00  |
| THUJA gigantea, see Th. plicata.   | .20    | 2.00, |
| " occidentalis, American Arborvitae  | .40    | 3.60  |
| " orientalis, Oriental Av  | . 20   | 1.50  |
| " orientalis aurea, Golden O. Av   | .30    | 2.80  |
| " orientalis compacta, Compact Av  | .30    | 2.80  |
| " orientalis pyramidalis, Pyramidal O. Av  | .25    | 2.00  |
| " plicata, Giant Av  | .70    | 6.50  |
| THUĴOPSIŚ dolabrata, False-Arborvitae  | .55    | 4.00  |
| TORREYA californica, California Nutmeg   | .35    | 3.20  |
| " nucifera, Japanese Nutmeg  | .25    | 2.00  |
| TSUGA canadensis, Canada Hemlock   | .80    | 7.50  |
| " caroliana, Caroliana H   | . 100  | 7.50  |
| " diversifolia, Japanese H   | .70    | 6.00  |
| " sieboldi, Siebold H  | .70    | 6.20  |
| WELLINGTONIA see Sequoia.  | .,,    | 0.20  |
| The same of the sa |        |       |

IMPORTANT—We exercise every care to send out tree seeds true to name. We cannot extend this guarantee to the result from sowing seeds of such varieties of conifers as "aurea, compacta, glauca, pendula, pyramidalis, violacea, etc." Our collectors are careful in gathering the seeds from trees showing the peculiarities of the variety but the seedlings will often revert to the mother form and as we have no way of testing the seeds as to their producing true to variety, we send them out without any warranty that they will come true any given percentage to variety.

# **Trees and Shrubs**

Half ounce, quarter pound, 25 lbs. at ounce, pound and hundred pound rates, respectively. No seeds invoiced for less than 15 cents. No invoice for less than 25 cents. Prices for larger quantities will be quoted by letter upon request.

| upon request.  |      |       |
|--|------|-------|
| We are using the following abbreviations:              |      | . `   |
| "e" means evergreen, "d" means deciduous.              |      | : .   |
| "t" means tree, "s" means shrub.                       |      |       |
| "v" means vine or climber.                             |      |       |
| "db" means seed in natural hull.                       |      |       |
| "c" means clean seed.                                  |      | ••    |
|  |      |       |
| Example: "et" stands for evergreen tree.               | 07   | T 73  |
|  | OZ.  | LB.   |
| dt ACACIA armata, Kangaroo Thorn                       | .70  | 6.50  |
| dt "baileyana, Cootamundra Wattle                      | .55  | 4.80  |
| es " catechu, True Catechu Tree                        | .90  |       |
| dt " dealbata, Silver Wattle                           | .30  | .2.50 |
| dt " farnesiana, Sweet Acacia                          | .30  | 2.40  |
| dt " melanamylan Diadywood A                           | .45  | 3.80  |
| dt " melanoxylon, Blackwood A                          | .60  | 5.50  |
| dt ACANTHOPANAX sessiliflorum                          |      |       |
| dt "spinosum   | .40  | 3.50  |
| dt ACER campestre, Hedge Maple (Spring)                | .15  | 1.00  |
| dt " dasycarpum, Silver M. (May) order early           |      |       |
| dt " ginnala, Amur M                                   | :25. | 2.20  |
| dt " mono, Small-leaf Chinese M                        | .25  | 1.75  |
| dt " negundo, Boxelder                                 | .15  | . 70  |
| dt " palmatum (polymorphum), Japanese M. Lge, seed'd   | .30  | 2,50  |
| dt " palmatum (polymorphum), small seeded              | .35  | 3.00  |
| dt " palmatum (polymorphum), sman seeded               | .50  | 4.50  |
| dt paimatum atropurpureum, bloodiear w                 | 1.40 | 12.00 |
| paimatum atropurpureum, 00% true                       | 2,00 | 15.00 |
| dt "palmatum atropurpureum dissectum, Cutleaf Blood M. | 2.00 | 13,00 |
|  |      |       |

| ACER—Contd.  | OZ.  | LB.   |
|--|--|---|
| dt pennsylvanieum (striatum), Striped M  | .30  | 2.75  |
| dt " platanoides, Norway Mdt " platanoides schwedleri, Schwedler M   | .15<br>.20   | .90<br>1.70   |
| dt "pseudoplatanus, Sycamore M   | .15  | .90   |
| dt " rubrum, Red M. (May) Order early.   | . 10   | .,,   |
| dt " saccharum, Sugar M  | . 15   | 1.50  |
| dt "spicatum, Mountain M   | .30  | 2.50  |
| dv ACTINIDIA arguta, Bower A   | .65  | 6.00  |
| dv " polygama, Silvervine  | .60<br>.40   | 5.25  |
| dt AESCULUS californica, California Buckeye  | .15  | 3.40  |
| dt " glabra, Ohio B  | .15  | .50   |
| dt " hippocastanum, Horsechestnut  | .15  | .50   |
| dt " octandra (flava) Yellow B   | . 15   | .60   |
| dt AILANTHUS glandulosa, Tree-of-Heaven  | . 15   | 1.50  |
| dv AKEBIA lobata, Threeleaf A  | .30  | 2.25  |
| dv " quinata, Fiveleaf Adt ALBIZZIA julibrissin, Silktree  | .30  | 2.25<br>1.75  |
| dt " lebbeck, Lebbek   | .40  | 3.75  |
| dt " lophantha (Arcacia 1.) Plume Acacia   | . 25   | 2.50  |
| dt ALEURITES cordata, Kiri-Oil tree  | . 25   | 2.00  |
| dt " fordi, Tung-Oil tree (ask for quantity prices)  | .15  | .70   |
| dt "moluccana, Candlenut   | . 25   | 2.00  |
| dt ALNUS glutinosa, European A   | . 15   | 1.40  |
| dt "incana, Speckled A   | . 20   | 1.75  |
| ds AMELANCHIER   |  |   |
| ds " canadensis (botryapium), Downy Shadblowdb   | .35  | 3.20  |
| ds AMORPHA fruticosa, Indigobush   | .15  | 1.50  |
| dv AMPELOPSIS quinquefolia, Va. Crecperdb  | . 20   | 1.75  |
| dv "tricuspidata (veitchi), Boston Ivydb   | . 15   | 1.25  |
| dv "tricuspidata importede   | . 25   | 2.00  |
| dt AMYGDALUS communis, Almond  | . 15<br>. 15   | .80<br>1.35   |
| dt " persica, Natural Peach see Fruit seeds  | . 15   | .70   |
| ANDROMEDA, see Leucothoe, Oxydendrum, Pieris.  | . 13   | .70   |
| ds ARALIA cordata, Udo   | . 40   | 3.50  |
| ds "spinosa, Devils Walking-stick  | .30  | 2.75  |
| dt ARBUTUS menziesi, Madrone   | . 30   | 2.75  |
| dt " uncdo, Strawberry-tree  | .45  | 4.20  |
| es ARDISIA crenulata, Coral Ardisia  | .35  | 3.20  |
| dv ARISTOLOCHIA sipho, Dutchman's Pipe   | .55  | 5.00  |
| dv " tomentosa, Pipevine   | .30  | 2.15  |
| ARONIA, Chokeberry, see also Sorbus.   |  |   |
| ds " arbutifolia, Red Chokeberry   | .20  | 1.75  |
| ds "melanocarpa, Black Chokeberry  | .20  | 1.75  |
| dt ASIMINA triloba, Papaw  | .15  | 1.50  |
| es AUCUBA japonica, Japanese (green) Aes " japonica aureo-maculata, Variegated A                             | .25<br>.45   | 4.00  |
| ,  |  |   |
|  | ¼-LB.  | LB.   |
| ds "arborescens, Sweet Adb 45  | • • • •  | 4.00  |
| ds arborescens   | • • • •  | 3 00  |
| ds "calendulacea (Lutea) Flame Adb35 ds "calendulacea  | • • • •  | 3.00  |
| ds " dilatatum   | 10.00  |   |
|  |  | 40.00   |
| es "hinodegiri, Hinodegiri A 1.25 4.25   | 12.50  |   |
| es "hinodegiri, Hinodegiri A   | 12.50  |   |
| es "hinodegiri, Hinodegiri Ac 1.25 4.25 es "japonica, Japanese Ac 1.50 5.00 es "kaempferi, Torch Ac .60 2.00 | 12.50<br>5.00  | 17.50   |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00   | 17.50   |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50   | <ul><li>17.50</li><li>9.50</li></ul>  |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50   | 9.50<br>3.20  |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50   | <ul><li>17.50</li><li>9.50</li></ul>  |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50   | 9.50<br>3.20<br>  |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50<br><br>9.00<br>5.00   | 9.50<br>3.20  |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50<br><br>9.00<br>5.00   | 9.50<br>3.20<br><br>7.50  |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50<br><br>9.00<br>5.00   | 9.50<br>3.20<br><br>7.50<br>8.00  |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50<br><br>9.00<br>5.00   | 17.50<br>9.50<br>3.20<br><br>7.50<br>8.00                                     |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50<br><br>9.00<br>5.00   | 17.50<br>9.50<br>3.20<br><br>7.50<br>8.00                                     |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50<br><br>9.00<br>5.00<br><br>1.50                                     | 17.50<br>9.50<br>3.20<br><br>7.50<br>8.00                                     |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50<br><br>9.00<br>5.00<br><br>1.50<br>1.00<br>.15                      | 17.50<br>9.50<br>3.20<br><br>7.50<br>8.00<br><br>1.20                         |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50<br><br>9.00<br>5.00<br><br>1.50<br>1.00<br>.15                      | 17.50<br>9.50<br>3.20<br><br>7.50<br>8.00<br><br>1.20<br>4.75                 |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50<br><br>9.00<br>5.00<br><br>1.50<br>1.00<br>.15                      | 17.50<br>9.50<br>3.20<br><br>7.50<br>8.00<br><br>1.20<br>4.75<br>4.80         |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50<br><br>9.00<br>5.00<br><br>1.50<br>1.00<br>.15                      | 17.50<br>9.50<br>3.20<br><br>7.50<br>8.00<br><br>1.20<br>4.75                 |
| es "hinodegiri, Hinodegiri A   | 12.50<br>5.00<br>10.00<br>2.50<br><br>9.00<br>5.00<br><br>1.50<br>1.00<br>.15<br>.50<br>.50<br>.25 | 17.50<br>9.50<br>3.20<br><br>7.50<br>8.00<br><br>1.20<br>4.75<br>4.80<br>2.25 |

|   | OZ.          | LB.         |
|---|--------------|-------------|
| dt BETULA alba, European White Birch  | .15          | 1.15        |
| dt "lenta, Sweet B  | .25          | 2.50        |
| dt " lutea (excelsa), Yellow B  | .25          | 2.50        |
| dt " nigra, River B. (Spring 1936)  | .25          | 2.50        |
| dt " papyrifera, Canoe B  | .25          | 2.10        |
| dt " populifolia, Gray B  | . 25         | 2.50        |
| dv BIGNONIA radicans, Trumpet Creeper   | .30          | 2.75        |
| et BUXUS japonica (microphylla) Japanese Box  | . 50         | 4.25        |
| et " sempervirens, Common B   | .30          | 2.75        |
| ds CALLICARPA americana, American Beautyberry                                       | .20          | 1.80        |
| ds " japonica, Japanese B   | .40          | 3.00        |
| ds CALYCANTHUS floridus (laebigatus) Sweetshrub                                     | . 20         | 1.75        |
| ds " occidentalis, Western S  | . 55         | 5.25        |
| ds praecox, see under Meratia.  | 20           | 1 25        |
| es CAMELLIA japonica, Common C  | . 20<br>. 20 | 1.25        |
| es " sasanqua, Sasanqua C   | .20          | 1.90        |
|   |              |             |
| CAMPHORA, see Cinnamomum.   | 20           | 0.15        |
| ds CARAGANA arborescens, Siberian Pea-tree  | . 20         | 2.15        |
| es CARPENTERIA californica, Carpenteria ¼-oz. \$1.60                                | 4.60         |             |
| dt CARPINUS betulus, European Hornbeamdt " caroliniana, American Hornbeam           | .15          | .90<br>1.60 |
|   | . 20         | 1.00        |
| CARYA, see Hicoria.   |              | 70          |
| dt CASTANEA dentata, Amer. Chestnut (Oct-Nov. only)                                 | . 15         | .70         |
| dt " japonica, Japanese Ch  | . 15         | 1.00        |
| dt " mollissima, Hairy Chinese Ch   | .15          | 1.00        |
| dt CASUARINA cunninghamiana, Cunningham Beefwood dt "equisetifolia, Australian Pine | .75          | 7.00        |
| dt " equisetifolia, Australian Pine   | .75<br>1.80  |             |
| dt CATALPA speciosa, True Wild Western C  | .15          | 1.00        |
| ds CEANOTHUS americanus, Jersey-teadb   | .15          | .90         |
| dt CEDRELA sinensis, Chinese C  | .70          | 6.50        |
| dv CELASTRUS orbiculatus, Oriental Bittersweet                                      | .40          | 3.50        |
| dv " scandens, American B   | . 25         | 2.50        |
| dt CELTIS mississippiensis, Sugarberry  | .15          | 1.50        |
| dt " occidentalis, Hackberry  | . 25         | 2.25        |
| dt "sinensis, Chinese Hackberry   | . 25         | 1.90        |
| dt " tourneforti, Oriental H  | . 20         | 1.75        |
| ds CEPHALANTHUS occidentalis, Common Buttonbush                                     | . 15         | 1.00        |
| et CERATONIA siliqua, Carob   | .35          | 3.50        |
| dt CERCIDIPHYLLUM japonicum, Katsura-tree   | .60          | 5.00        |
| dt CERCIS canadensis, American Redbud   | . 20         | 1.50        |
| dt " occidentalis, California R   | .40          | 4.00        |
| dt Sinquastrum, Judas-tree  | .15          | 1.20        |
| dt " sinensis, Chinese H  | . 40<br>. 25 | 3.50        |
| et CINNAMOMUM camphora, Camphor-tree  | . 23         | 1.25        |
| et CITRUS trifoliata, Hardy Orange (Domestic)                                       | . 25         | 2.00        |
| et " aurantium, Sour Orange (Domestic)  | .70          | 6.00        |
| dt CLADRASTIS lutea (tinctoria), Yellow-wood  | .30          | 2.50        |
| dv CLEMATIS paniculata, Sweet Autumn C  | .30          | 2.50        |
| ds CLERODENDRON trichotomum, Harlequin Glorybower.                                  | .25          | 2.00        |
| ds CLETHRA alnifolia, Summersweet   | . 15         | 1.40        |
| ds COLUTEA arborescens, Common Bladder-Senna  | . 15         | 1.20        |
| CORDYLINE (Dracaena), see under Palm seeds.   |              |             |
| ds CORNUS alba, Tatarian Dogwood  | .35          | 3.20        |
| ds " alternifolia, Pagoda D   | . 25         | 1.80        |
| ds " amomum (sericea), Silky D  | . 15         | 1.75        |
| " candidissima, see paniculata.   |              |             |
| dt "florida, Flowering D. (\$42 for 100 lbs.)                                       | . 15         | .75         |
| ds " kousa, Kousa D   | .30          | 2.50        |
| dt " mas, Cornelian-Cherry  | . 15         | 1.00        |
| ds " nuttalli, Pacific D  | . 15         | 2.25        |
| us pameulata, Gray D  | .15          | 1.50        |
| us sangumea, bloodtwig  | . 20         | 1.75        |
| ds " stolonifera, Red-Osier D   | . 15<br>. 15 | 1.50        |
|   | , 15         | 1.00        |
| ds "avellana, Filbertds COTONEASTER acutifolia, Pekin Cdb                           | . 20         | 1.75        |
| ds " acutifolia   | .40          | 4.00        |
| ds " divaricata, Spreading C  | .50          | 5.00        |
| ds "francheti, Franchet C   | .50          | 5.00        |
| es "horizontalis, Rock C  | .50          | 5.25        |
| es " microphylla, Rockspray   | .70          | 6.50        |
| ds "pannosa, Silverleaf C   | .50          | 5.00        |
| ds " simons, Simons C   | .50          | 5.00        |
|   |              |             |

|  | OZ.  | LB.          |
|--|------|--------------|
| ds CRATAEGUS.  | OD.  | 1415.        |
| dt " coccinea, Thicket Hdb   | .15  | 1.00         |
| dt " cordata, Washington H   | .15  | 1.40         |
| ds " crusgalli, Cockspur H   | .15  | 1.25         |
| ds " mollis, Downy H   | .15  | 1.25         |
| ds "monogyna, English H  | . 15 | 1.20         |
| ds "oxyacantha, English H  | . 15 | 1.35         |
|  | 50   | 4 00         |
| ds CYDONIA japonica, Flowering Quince, (Domestic)c ds "japonica, Imported            | .50  | 4.00         |
| ds "oblonga (vulgaris), Common Q   | .45  | 3.75         |
| ds CYRILLA racemiflora, Leatherwooddb  | .20  | 1.25         |
|  | .20  | 1.25         |
| CYTISUS, see also Laburnum. ds "nigricans, Spike Broom                               | .70  | 6.50         |
| ds " scoparius, Scotch Broom   | .20  | 1.20         |
| ds DAPHNE mezereum, February Daphne  | .60  | 5.50         |
| ds DEUTZIA scabra, Fuzzy D   | .25  | 2.50         |
| dt DIOSPYROS kaki, Kaki Persimmon  | .20  | 1.25         |
| dt " lotus, Dateplum   | . 20 | 1.25         |
| dt "virginiana, Common P   | .15  | .60          |
| DRACAENA, see Palm seeds.  | 40   | 2 50         |
| ds EDGEWORTHIA chrysantha, Golden Papertreeds ELAEAGNUS angustifolia, Russian-Olive  | .40  | 3.50         |
| ds " argentea, Silverberry   | . 20 | 2.00         |
| ds " longipes (edulis) Cherry E  | .40  | 3.75         |
| ds " umbellata, Autumn E. (Domestic)   | . 25 | 2.50         |
| dt ENKIANTHUS campanulatus, Redvein E  | .90  | 8.00         |
| dt " japonica, White E   | .80  | 7.25         |
| et ERIOBOTRYA japonica, Loquatet EUCALYPTUS  | .30  | 2.50         |
| et EUCALYPTUS et "corynocalyx, Sugar Gum   | 1.00 | 8.50         |
| et " globulus, Blue Gum  | .90  | 7.50         |
| et " leucoxylon, White Ironbark  | 1.00 | 9.00         |
| et " punctata, Leatherjack   | .90  | 8.00         |
| et "resinifera, Mahogany Gum   | .80  | 7.00         |
| et "robusta, Brown Gumet" rostrata, Greek Gum  | .50  | 4.75<br>4.75 |
| et "rudis, Desert Gum  | .90  | 8.00         |
| et " tereticornis, Slated Gum  | .90  | 8.00         |
| et " viminalis, Manna Gum  | .85  | 7.50         |
| es EUONYMUS alatus, Winged E   | .30  | 2.00         |
| ds " americanus, Brook E   | . 20 | 1.70         |
| ds " atropurpureus, Wahoods " europaeus, European Burningbush                        | .20  | 1.90         |
| es " japonicus, Evergreen E  | .35  | 3.00         |
| ev " radicans, Wintercreeper   | .35  | 3.25         |
| ds EXOCHORDA grandiflora, Common Pearlbush   | .25  | 2.00         |
| dt FAGUS americana, American Beech   | .15  | 1.50         |
| dt "sylvatica, European Bdt "sylvatica purpurea, Purple B                            | .15  | 1.10         |
| es FATSIA (Aralia) japonica  | .50  | 4,00         |
| FICUS see under Tropical Seeds.  |      | 7,00         |
| dt FRAXINUS americana, White Ash   | . 15 | 1.40         |
| dt " excelsior, European Ash   | . 15 | 1.00         |
| dt " lanceolata (viridis), Green Ash   | . 15 | 1.00         |
| dt " velutina (arizonica) Arizona Ash  | .20  | 1.85         |
| ds FREMONTIA californica, Fremontia  | 3.20 |              |
| ds " mexicana extra fine   | 1.65 | 12.50        |
| es GARDENIA florida, Cape-Jasmine  | . 50 | 4.75         |
| es GAULTHERIA procumbens, Wintergreendb  | .50  | 4.50         |
| GENISTA, see under Cytisus. GINKGO, see under Conifers.                              |      |              |
| dt GLEDITSIA triacanthos, Honeylocust  | .15  | 1.20         |
| dt " tricanthos inermis, Thornless H   | . 20 | 1.50         |
| dt "sinensis, Chinese Honeylocust  | .20  | 1.90         |
| et GORDONIA lasianthus, Loblolly-Baydb   | 1.00 | 2.00<br>9.00 |
| et GREVILLEA robusta, Silk-Oakdt GYMNOCLADUS dioica, Kentucky Coffeetree             | .15  | 1.20         |
| dt HALESIA tetraptera, Great Silverbell  | .15  | 1.35         |
| ds HAMAMELIS japonica, Japanese Witch-hazel  | .45  | 4.25         |
| ds "virginiana, Common W   | . 20 | 1.80         |
| HESPERALOE parviflora, Red Yucca   | .40  | 4.00         |
| es HESPEROYUCCA whipplei (Yucca wh.) Chaparal Yucca HETEROMELES, see under Photinia. | .45  | 4.00         |
| ds HIBISCUS syriacus, Shrub-Althea   | .15  | 1.25         |
|  |      |              |
|  |      |              |

| Lb.   Lbs.   Lb.   Lbs.   Lb.   Lbs.   Lb.   L | 10 100     |        |  |     |
|--|------------|--------|--|-----|
| Lb.   Lbs.   Lb.   Lbs.   Lb.   Lbs.   Lb.   Lbs.   Lb.    | 10 100     |        |  |     |
| dt HICORIA alba (Carya tomentoss) Mockernut.   35   2, 40   14   tt   glabra (C. porcina) Pignut.   35   2, 40   14   tt   glabra (C. porcina) Pignut.   35   2, 40   14   tt   glabra (C. porcina) Pignut.   35   2, 40   14   tt   glabra (C. porcina) Pignut.   35   2, 40   14   tt   minima, see H. cordiformis.   40   2,50   17   tt   minima, see H. cordiformis.   40   2,50   17   tt   minima, see H. cordiformis.   41   42   2,50   17   tt   minima, see H. cordiformis.   42   44   tt   pecan (C. olivaeformis) Pecan   65   6,00   50   50   50   50   50   50   50   |            |        | Ih   |     |
| tt " cordiformis (C. amara) Bitternut.   |            |        |  | -14 |
| tt   |            |        |  |     |
| tt " minima, see H. cordiformis.  tt " ovata (C. alba) Shagbar H   |            |        | t " glabra (C. porcina) Pignut                                   |     |
| th " ovata (C. alba) Shagbark H  | 2.50 17.00 |        | t " laciniosa (C. sulcata) Shellbark H                           |     |
| th "pecan (C. olivaeformis) Pecan  | 2 40 14 00 | _      | t . minima, see 11. cordiforms.                                  |     |
| ds HIPPOPHAE rhamnoides, Common Sea-Buckthorn  |            |        | t Ovata (C. alba) Shagbark H                                     |     |
| ds HPPOPHAE rhamnoides, Common Sea-Buckthorn.  |            | •      | pecan (C. onvacionals) recan                                     | u.  |
| th HOVENIA dulcis, Raisintree  |            |        | - HIDDODUAT champaides Common Son Rueletharn                     | 4.  |
| ds HVDRANGEA paniculata, Panicle H   |            | •      | t HOVENIA dulcis. Raisintree                                     | -   |
| dy " petiolaris (scandens) Climbing H  |            | c<br>c | s HYDRANGEA paniculata, Panicle H                                |     |
| es " creanta, Japanese H   | .60 5.25   | С      | v " petiolaris (scandens) Climbing H                             |     |
| es " crenata, Japanese H   |            | С      | t ILEX aquifolium, English Holly                                 |     |
| es " glabra, Inkberry  |            | •      | cassine (danoon), Danoon   |     |
| es " integra, Japanese H   |            | b      | s " glabra, Inkherrydb   |     |
| tet "opaca   | .25 1.60   | •      | s " integra, Japanese H  | es  |
| the sieboldi, Siebold H  |            |        | t opaca, American II   |     |
| Ss   |            | С      | t opaca  |     |
| es         " vomitoria, Yawpon         .db         .20         1           et         ILLICIUM anisatum, Japanese Anisetree         .30         .2           dt         JACARANDA Ovalifolia (mimosaefolia) Green-Ebony         .85         .10           Lb. Lbs. Lbs. Lbs. Lbs. Lbs. Lbs. Lbs. L   |            | h      | s " verticillata. Common Winterberrydb                           |     |
| dt JACARANDA Ovalifolia (mimosaefolia) Green-Ebonyc   10   | .20 1.80   | b      | s " vomitoria, Yawpondb  | es  |
| Lb. Lbs. Lbs. Lbs. Lbs. Lbs. Lbs. Lbs.   |            |        |  | -   |
| Lb.   Lbs.   Lb.   Lbs.   Lb.   Lbs.   Lb.   Lbs.   Lb.    |            | С      | t JACARANDA Ovalitolia (mimosaetolia) Green-Ebonyc               | dt  |
| dt   UGLANS californica, California Walnut   |            |        | TL   |     |
| dt   |            |        |  |     |
| " cordiformis, see sieboldiana cordiformis.         dt "hindsi, Hinds W  |            |        |  |     |
| dt   | 1.80 10.00 | U      |  | aı  |
| tt " regia (China) Persian English W   | 7.00       | 5      |  | dt  |
| tt sieboldiana, Japanese W   |            |        | l Higha, Diack W   |     |
| dt   |            |        | t legia (China) reisian tangnan w                                | -   |
| es KALMIA latifolia, Mountain-Laurel   |            |        | t Siebbiulana, Japanese w  | -   |
| es KALMIA latifolia, Mountain-Laurel         db         20         1           es "latifolia         c         1         00           ds KERRIA japonica         25         2           dt KOELREUTERIA paniculata, Goldenrain-tree         15         1           dt LABURNUM alpinum, Scotch L         30         2           ds "vulgare, Goldenchain         15         1           ds LAGERSTROEMIA indicia, Common Crapemyrtle         db         25         2           et LAUROCERASUS caroliniana, Cherry-laurel         15         1           et "lusitanica, Portugal-Laurel         20         1           et "officinalis (P. laurocerasus), English CL         20         1           et "officinalis (P. laurocerasus), English CL         20         1           LAURUS, see also Benzoin, Laurocerasus         20         1           et "nobilis, Grecian Laurel         20         1           LAURUSTINUS, see under Viburnum tinus.         20         1           es LEUCOTHOE catesbaei, Drooping Laurel         db         20         1           ds "catesbaei         c         c         1.25           es LIGUSTRUM amurense, Amur Privet South         ask         15           ds "ibota, Ibota P         quantity prices   |            |        | Sicholalia coldiformis, Flat W                                   | uı  |
| es         " latifolia         c         1.00         d           dk         KERRIA japonica         25         25         25         25         25         25         25         25         25         26         4t         KERRIA japonica         25         2         25         2         2         15         1         15         1         30         2         2         3         3         2         2         2         2         3         3         2         2         2         4         4  |            | _      | . VAI MIA letifolie Mountain Lourel dh                           | 4   |
| dt KERRIA japonica dt KOELREUTERIA paniculata, Goldenrain-tree. 15 1. dt LABURNUM alpinum, Scotch L. 30 2. ds "vulgare, Goldenchain 15 ds LAGERSTROEMIA indicia, Common Crapemyrtle. db 25 et LAUROCERASUS caroliniana, Cherry-laurel 15 et "lusitanica, Portugal-Laurel 20 1. LAURUS, see also Benzoin, Laurocerasus. 20 et "nobilis, Grecian Laurel 20 1. LAURUSTINUS, see under Viburnum tinus. 20 es LICUCOTHOE, catesbaei, Drooping Laurel db 20 es "catesbaei c 125 es LIGUSTRUM amurense, Amur Privet South 38 ds "ibota, Ibota P for 15 es "japonicum, Japanese P quantity prices 15 es "lucidum, Glossy P 15 es "nepalense, Nepal P 20 LINDERA, see Benzoin. 31 dt LIQUIDAMBAR styraciflua, Sweetgum 20 dt LIRIODENDRON tulipfera, Yellow Poplar Tulipitree 15 ds LONICERA tatarica, Tatarian Honeysuckle 50 ds "xylosteum, European Fly H 45 dt MACLURA pomifera (aurantiaca) Osage-Orange 20 dt MAGNOLIA acuminata, Cucumbertree 25 et "glauca, Sweetbay 20 dt "grandiflora, Southern M 52 dt "hypoleuca, Silver M 62 dt "kobus, Kobus M 72 dt "macrophylla, Bigleaf M 73 dt "parviflora, Oyama M 74 dt "soulangeana, Saucer M 76 dt "soulangeana, Saucer M 76 de "soulangeana, Saucer M 76 de "soulangeana, Saucer M 76 dr "soulangeana, Saucer M 76 dr "soulangeana, Saucer M 77 dr Tatarian 77 dr 50 dr "soulangeana, Saucer M 77 dr "soulangeana, Saucer M 77 dr "soulangeana, Saucer M 77  | 1 00       |        |  |     |
| dt KOELREÜTERIA paniculata, Goldenrain-tree  |            |        |  |     |
| ds " vulgare, Goldenchain  |            |        | t KOELREUTERIA paniculata, Goldenrain-tree                       | dt  |
| ds LAGERSTROEMIA indicia, Common Crapemyrtledb   |            |        |  |     |
| et LAUROCERASUS caroliniana, Cherry-laurel   |            |        |  |     |
| et " lusitanica, Portugal-Laurel   |            |        | LAUROCERASUS caroliniana, Cherry-laurel                          |     |
| tAURUS, see also Benzoin, Laurocerasus.  et "nobilis, Grecian Laurel   | . 20 1.60  |        | " lusitanica, Portugal-Laurel                                    | et  |
| et "nobilis, Grecian Laurel  | . 20 1.40  | •      |  | et  |
| LAURUSTINUS, see under Viburnum tinus. es LEUCOTHOE catesbaei, Drooping Laurel   | .20 1.80   |        | LAURUS, see also Benzoin, Laurocerasus.  "nobilis Grecian Laurel | at  |
| es LEUCOTHOE catesbaei, Drooping Laurel  | .20 1.00   | •      | LAURUSTINUS, see under Viburnum tinus.                           | CL  |
| es LIGUSTRUM amurense, Amur Privet Southask  |            |        | LEUCOTHOE catesbaei, Drooping Laureldb                           | es  |
| ds "ibota, Ibota P   |            | c      | catesbaei  |     |
| es " japonicum, Japanese P   |            |        |  |     |
| es "lucidum, Glossy P. es "nepalense, Nepal P. LINDERA, see Benzoin. dt LIQUIDAMBAR styraciflua, Sweetgum. dt LIQUIDAMBAR styraciflua, Sweetgum. ds LONICERA tatarica, Tatarian Honeysuckle. ds "xylosteum, European Fly H. dt MACLURA pomifera (aurantiaca) Osage-Orange. dt MAGNOLIA acuminata, Cucumbertree. et "glauca, Sweetbay. et "grandiflora, Southern M. dt "hypoleuca, Silver M. dt "kobus, Kobus M. dt "macrophylla, Bigleaf M. dt "macrophylla, Bigleaf M. dt "soulangeana, Saucer M. c 70 6.   |            | ·<br>S | iaponicum. Japanese P  |     |
| LINDERA, see Benzoin.  dt LIQUIDAMBAR styraciflua, Sweetgum  |            | •      | " lucidum, Glossy P  | es  |
| dt LIQUIDAMBAR styraciflua, Sweetgum   | .20 1.50   | •      |  | es  |
| dt LIRIODENDRON tulipfera, Yellow Poplar Tulipitree15ds LONICERA tatarica, Tatarian Honeysuckleds "xylosteum, European Fly H45dt MACLURA pomifera (aurantiaca) Osage-Orange20dt MAGNOLIA acuminata, Cucumbertree25et "glauca, Sweetbay20et "grandiflora, Southern M15dt "hypoleuca, Silver Mdt "kobus, Kobus Mdt "macrophylla, Bigleaf M25ds "parviflora, Oyama M55dt "soulangeana, Saucer M   | .20 2.40   |        |  | a+  |
| ds LONICERA tatarica, Tatarian Honeysuckle   |            |        |  |     |
| dt MACLURA pomifera (aurantiaca) Osage-Orange201dt MAGNOLIA acuminata, Cucumbertree252et "glauca, Sweetbay201et "grandiflora, Southern M151dt "hypoleuca, Silver Mc201dt "kobus, Kobus Mc201dt "macrophylla, Bigleaf M252ds "parviflora, Oyama M555dt "soulangeana, Saucer Mc706   |            | e      | s LONICERA tatarica, Tatarian Honeysucklec                       | -   |
| dt MAGNOLIA acuminata, Cucumbertree       .25       2.         et "glauca, Sweetbay       .20       1.         et "grandiflora, Southern M       .15       1.         dt "hypoleuca, Silver M       .20       1.         dt "kobus, Kobus M       .20       1.         dt "macrophylla, Bigleaf M       .25       2.         ds "parviflora, Oyama M       .55       5.         dt "soulangeana, Saucer M       .20       6.   |            |        | xylosteum, European Fly H  |     |
| et       " glauca, Sweetbay       .20       1.         et       " grandiflora, Southern M       .15       1.         dt       " hypoleuca, Silver M       .20       1.         dt       " kobus, Kobus M       .20       1.         dt       " macrophylla, Bigleaf M       .25       2.         ds       " parviflora, Oyama M       .55       5.         dt       " soulangeana, Saucer M       .20       6.   |            |        |  | -   |
| et       " grandiflora, Southern M.       15       1.         dt       " hypoleuca, Silver M.       c       20       1.         dt       " kobus, Kobus M.       c       20       1.         dt       " macrophylla, Bigleaf M.       25       2.         ds       " parviflora, Oyama M.       55       5.         dt       " soulangeana, Saucer M.       c       70       6.  |            |        |  |     |
| dt "kobus, Kobus M   | .15 1.25   | •      | grandiflora, Southern M  | et  |
| dt" macrophylla, Bigleaf M   |            |        | Hypoteuca, Silver Inc  | -   |
| ds "parviflora, Oyama M  |            |        | KODUS, KODUS M   |     |
| dt "soulangeana, Saucer M  |            |        | t macrophylia, Digical M   |     |
|  | .70 6.00   | 2      | soulangeana, Saucer Mc   |     |
| 3647703774   | .25 2.00   |        | t " tripetala, Umbrella M  | dt  |
| MAHONIA—see also Berberis. es "aquifolium (Imported)   | .30 2.00   |        |  | 00  |
| es " aquifolium (Imported)   |            | 2      | " healei (japonica) Leatherleaf H                                |     |
|  | .60 5.50   |        | "  | es  |
| es " nervosa, Longleaf H   |            |        |  |     |

| _   |   |           |         |
|-----|---|-----------|---------|
|     |   | oz.       | LB.     |
|     | MALUS, see under Fruit Seeds.                       | 02.       | 1,10,   |
| đt  | MELIA azedarach, Chinaberry                         | . 15      | .70     |
| dt  |   | .15       | .80     |
|     | MERATIA praecox (Calycanthus p.) Wintersweet        | .40       | 3.60    |
| đt  | MORUS alba, White Mulberry                          | . 20      | 2.00    |
| dt  |   | .20       | 2.00    |
|     | MYRICA carolinensis, Northern Bayberry              | .20       | 1.80    |
| ds  |   | .20       | 1.80    |
|     | MYRTUS communis, true Myrtledb                      | .30       | 2.85    |
|     | NANDINA domestica, domestic seeddb                  | .25       | 1.75    |
| đt  |   | .25       | 1.90    |
| ut  | NEGUNDO, see Acer negundo.                          | .25       | 1.50    |
| ac. | NERIUM oleander, Common O                           | . 30      | 3.00    |
| d+  | NYSSA aquatica, Big Tupelo                          | .15       | 1.40    |
| dt  |   | .15       | 1.20    |
| dt  |   | .15       | 1.40    |
|     | OLEA europaea, Olive                                | .20       | 1.60    |
| et  | ORANGE see under Citrus.                            | . 20      | 1.00    |
| 44  | OSTRYA virginiana, American Hophornbeam             | .35       | 3.00    |
|     | ONVINDENDE IIM orboroum Courseod                    |           |         |
| ds  |   | . 15      | .85     |
| ds  |   | .95       |         |
| ds  | "## Contain Sunruticosa (moutan) Tree P             | .70       | 6.50    |
| ds  |   | 1.25      | 11.00   |
|     | PAULOWNIA tomentosa (imperialis), Princesstree      | .25       | 2.25    |
| dt  |   | . 30      | 2.25    |
| et  | PHOTINIA arbutifolia (Herteromeles), Christmasberry | .25       | 2.00    |
| es  | glabra, Japanese P                                  | .40       | 3.75    |
| es  | " serrulata, Low P                                  | .45       | 4.75    |
| es  | " villosa, Hairy P                                  | . 40      | 3.50    |
| es  | PIERIS floribunda, Mountain Andromeda               | 1.00      | 8.50    |
| es  | " floribunda, Mountain Andromedadb                  | . 25      | 2.25    |
| es  | " japonica, Japanese Andromeda                      | 1.00      | 8.50    |
| dt  | PISTACIA atlantica, Mount Atlas Pistache            | .20       | 1.40    |
| dt  | " chinensis, Chinese Pistache                       | . 20      | 1.60    |
| es  | PITTOSPORUM tobira, Tobira                          | . 25      | 1.90    |
| dt  | PLATANUS occidentalis, American Planetree           | . 15      | 1.00    |
| dt  | " orientalis, European P                            | .15       | 1.25    |
| dt  | POINCIANA regia, Royal Poinciana                    | .30       | 2.80    |
| 111 | PONCIRUS, see Citrus.                               |           |         |
| dt  | POPULUS deltoides, Southern Cottonwood              | .15       | 1.40    |
| dt  | PRUNUS americana, American Plum                     | .15       | 1.50    |
| dt  | " avium, Mazzard Cherry, See Fruit seeds            | .15       | 1.00    |
|     | " caroliniana, see Lauracerasus c.                  |           | 1.00    |
|     | " davidiana, see Amygdalus d.                       |           |         |
| et  | " ilicifolia, Hollywood Cherry                      | . 20      | 1.50    |
|     | " laurocerasus, see Laurocerasus officinalis.       | 0         |         |
| et  | " lyoni (integrifolia), Catalina Cherry             | . 20      | 1.60    |
| dt  | " mahaleb, Mahaleb Cherry, see Fruit seeds          | .20       | 1.50    |
| dt  | " mume, Japan Apricot                               | .25       | 1.90    |
| dt  | " myrabolana, Myrabolan Plum, see Fruit seeds       | .15       | 1.20    |
| dt  | " serotina, Black Cherry                            | .15       | .90     |
| dt  | " virginiana, Common Chokeberry                     | .15       | 1.25    |
| dt  | PTELEA trifoliata, Common Hoptree                   | . 15      | 1.50    |
|     | PUERARIA thunbergiana, Kudzu-Bean                   | . 20      | 1.80    |
|     | PYRACANTHA coccinea, Scarlet Firethorn              | .15       | 1.50    |
| es  | " coccinea lalandi, Laland F                        | . 20      | 1.60    |
| es  | " coccinea yunnanensis, Yunnan F                    | . 25      | 1.80    |
| Lo  | PYRUS, see Aronia, Cydonia, Sorbus, Fruit seeds.    | . 25      | 1.00    |
|     |   | 10.11     | 00.11   |
|     | 1 lb.   | 10 lbs. 1 | UU Ibs. |
| et  | QUERCUS acuta, Japanese Evergreen Oak 1.60          | 14.00     |         |
| et  | " agrifolia, California Live Oak 1.00               | 9.00      |         |
| dt  | " alba, White O. (November only)                    | 3.00      | 14.00   |
| dt  | " coccinea, Scarlet O                               | 4.20      | 26.00   |
| dt  | " falcata (digitata) Southern Red O50               | 4.20      | 22.00   |
| et  | " ilex, Holly P                                     | 12.00     |         |
| dt  | " laurifolia, Laurel O                              | 4.20      | 24.00   |
| dt  | " lyrata, Overcup O                                 | 4.20      | 20.00   |
| dt  | " macrocarpa, Overcup Oak                           | 4.20      | 26.00   |
| dt  | " marilandica, Blackjack O                          | 3.00      | 16.00   |
| et  | " nigra (aquatica), Water O                         | 4,20      | 22.00   |
|     | " obtusiloba, see Qu. stellata.                     | -120      |         |
| dt  | " palustris, Pin O                                  | 4.40      | 28.00   |
| dt  | " phellos, Willow O                                 | 4.20      | 26.00   |
| dt  | " prinus, Chestnut O. (November only) 50            | 4.20      | 20.00   |
| dt  | " rubra, Common Red O                               | 3.80      | 17.00   |
| dt  | " stellata, Post O                                  | 4.20      | 23.00   |
| et  | " suber, Cork O                                     | 12.00     | 23.00   |
|     | Jubel, Colk Collins of the 1,40                     | 12.00     |         |
|     |   |           |         |

| QUERCUS (Cont'd.)   | lb.        | 10 lbs.     | 100 lbs.      |
|---|------------|-------------|---------------|
| dt " velutina (tinctoria), Black O  | .50        | 4.20        | 22.00         |
|   | 70         | 6.00        | 48.00         |
|   |            | OZ.         | LB.           |
| de DHAMNIIS eleternus Italian Duelethorn                                      |            |             | 2.80          |
| ds RHAMNUS alaternus, Italian Buckthornds " caroliniana, Carolina Buckthorn   |            | .35         | 1.60          |
| ds " cathartica, Common B   |            | .25         | 2.00          |
| ds " frangula, Glossy B   | .c         | .20         | 1.80          |
| dt " purshiana, Cascara B   | • •        | .30         | 2.80          |
| es RAPHIOLEPIS Indic, India-Hawthorn  |            | .25         | 2.20          |
| es " umbellata (japonica) Yeddo H   |            | .35         | 3.00          |
| es RHODODENDRON californicum, Coast Rh  |            | 2.20        | : : : :       |
| es " carolinianum, Carolina Rh  |            | .40         | 3.50          |
| es " catawbiense, Catawba Rh  | .c<br>db   | 1.50        | 15.00<br>3.50 |
| es " catawbiense  |            | 1.35        | 13.50         |
| es " catawbiense compactum  | db         | .40         | 3.80          |
| es " catawbiense compactum  |            | 1.35        | 13.50         |
| es "keiskei, Keiske Rh  |            | 7.50        |               |
| es maximum, Rosebay Ru  |            | .35         | 3.50<br>7.50  |
| es " maximumes " metternichi, Leatherleaf Rh                                  |            | 2.25        | 20.00         |
| es " ponticum, Pontic R   |            | 2.25        | 20.00         |
| ds RHODOTYPOS kerrioides, Jethead   |            | .25         | 2.40          |
| ds RHUS canadensis (aromatica) Fragrant Sumach                                |            | .25         | 2.25          |
| ds " copallina, Shining S   |            | .15         | 1.00          |
| dt " cotinus, Common Smoketree, Purple Fringe                                 |            | .30         | 2.80          |
| ds "glabra, Smooth S  | db         | .15         | 1.00          |
| ds "typhina, Staghorn S   | 10         | .15<br>1.50 | 1.00<br>15.00 |
| ds " aureum, Slender Golden C   |            | 1.50        | 15.00         |
| dt ROBINIA pseudacacia, Blacklocust   |            | .15         | .90           |
| ds ROMNEYA coulteri, Canyon-Popy  |            | 2.00        | 18.00         |
| ds ROSA blanda, Meadow Rose   | $^{ m dh}$ | . 20        | 1.40          |
| ds " canina, Dogbrier   | . с        | . 15        | 1.00          |
| " carolina, see R. palustris. ds " humilis, Pasture R                         | 41.        | .20         | 1.60          |
| ds " laxa (froebeli) (stocks)   | TD.        | .15         | 1.50          |
| ds "lucida, Virginia R  | ib         | .20         | 1.50          |
| ds " multiflora, Japanese R. (stocks)   | . c        | .25         | 1.30          |
| ds " nitida, Bristly R  | db         | .20         | 1.50          |
| ds " palustris, Swamp R   |            | . 20        | 1.50          |
| ds "rubiginosa, Sweetbrierds "rubrifolia, Redleaf Rds                         |            | .25<br>.25  | 2.50<br>2.50  |
| ds "rugosa  | C          | .20         | 1.25          |
| ds " setigera, Prairie R  | lb         | .15         | 1.50          |
| ds "wichuraiana, Wichurian R  |            | . 25        | 1.25          |
| SALISBURIA, see under Ginkgo (Conifers).                                      |            |             |               |
| ds SAMBUCUS canadensis, American Elderds " nigra, European E                  |            | .15         | 1.20          |
| ds " racemosa, European Red E   | lh         | .30         | 2.60          |
| dt SAPIUM sebiferum, Chinese Tallow-tree                                      |            | . 25        | 2.20          |
| dt SASSAFRAS variifolium, Common S  |            | .15         | 1.20          |
| dt SCHINUS molle, California Peppertree                                       |            | .20         | 1.60          |
| dt "therebinthifolium, Brazilian P  |            | .30         | 2.50<br>3.75  |
| es SKIMMIA japonica, Japanese Skimmiadt SOPHORA japonica, Chinese Scholartree | C          | .40<br>.20  | 1.30          |
| dt SORBUS americana, American Mountain-Ash                                    |            | .15         | 1.00          |
| " arbutifola see Aronia   |            |             |               |
| dt " aucuparia, European Md   | lb         | . 15        | 1.00          |
| dt " aucuparia  | c          | .60         | 5.50          |
| SPARTIUM, see also under Cytisus. ds "junceum, Weaversbroom                   |            | . 20        | 1.60          |
| dt SPATHODEA campanulata, Fountain tree. ¼-Oz. \$1.5                          | 0          | 4.50        | 1.00          |
| ds STAPHYLEA pinnata, European Bladdernut                                     |            | . 20        | 1.80          |
| ds "trifolia, American B  |            | .30         | 2.40          |
| dt STERCULIA platanifolia, Chinese Parasoltree                                | •          | . 25        | 2.00          |
| ds STEWARTIA pentagyna, Mountain Stewartiads * pseudocamellia, Japanese Ash   | •          | .65<br>.65  | 6.00<br>5.50  |
| STILLINGIA, see under Sapium.   | •          | .00         | 5,50          |
| ds STYRAX americana, American Snowbell  |            | .20         | 1.60          |
| ds " japonica, Japanese S   |            | . 25        | 2.00          |
| ds "obassia, Fragrant S   |            | .35         | 3.00          |
| et SWIETENIA mahogany, True Mahogany  | •          | .70         | 6.50<br>2.50  |
| ds SYMPHORICARPOS racemosus, Common Snowberryds "vulgaris, Snowberry          |            | .20         | 1.60          |
|   |            | . 20        |               |
|   |            |             |               |

|          |  | OZ.        | LB.          |
|----------|--|------------|--------------|
| ds       | SYRINGA japonica, Japanese Tree Lilac  | 1.00       | 8.50         |
| ds       | " josikaca, Hungarian Lc   | .60        | 6.25         |
| ds       | " vulgaris   | .40        | 3.40         |
| ds       |  | .50        | 4.80         |
|          | TECOMA, see also under Bignonia.   |            |              |
| dy       | stans, Florida Trumpetbush   | 3.50       | • • • •      |
| es       | THEA sinensis, Tea   | .20        | 1.60         |
| es       | " bohea, Bohea Tea   | .25        | 2.00         |
| đt       | TILIA americana, American Linden   | .15        | 1.10         |
| dt       | " cordata, Littleleaf (Winter) Linden  | .15        | 1.25         |
| dt       |  | .15        | 1.25         |
| dt       | tomentosa, (argentea), onver 12  | .20        | 1.40         |
| dt       | vulgaris, Common European 1  | .15        |              |
| dt       | ULMUS americana, American Elm (May)  | . 15       | .90          |
| dt<br>dt | " parvifolia, (Domestic)   | .65<br>.65 | 5.50<br>5.50 |
| dt       | " pumila, imported (July)  | .20        | 1.90         |
| _        |  |            |              |
| ds       | VIBURNUM acerifolium, Mapleleaf Vdb  "alnufolium, Hobblebush, (V. lantanoides)db | .20        | 1.60         |
| ds<br>ds | " americanum, American Cranberrybushdb   | .20        | 1.60         |
| ds       | " carlesi, Fragrant V  | .40        | 3.50         |
| ds       | " cassinoides, Witheroddb  | .15        | 1.75         |
| ds       | " dentatum, Arrowwooddb  | .15        | 1.50         |
| ds       |  | .40        | 2.25         |
| ds       | " lantana, Wayfaring-treedb  | . 20       | 1.80         |
|          | " lantanac   | .25        | 2.00         |
| dt       | " lentago, Nannyberry  | . 15       | 1.50         |
| ds       | nadam, Smooth Witheroddb   | . 15       | 1.00         |
| es       | odoratissimum, sweet v   | .30        | 1.75         |
| ds       | " opulus, European Cranberrybush   | .20        | 1.75         |
| ds       | " prunifolium, Blackhaw  | .15        | 1.50         |
| ds       | " rhytidophyllum, Leatherleaf Vdb  | .30        | 2.50         |
| đt       | " sieboldi, Siebold V  | .35        | 3.25         |
| es       | " tinus, Laurustirusc  | .20        | 1.60         |
| ds       | " tomentosum, Japanese Snowball  | .40        | 3.50         |
| ds       | " wrighti, Wright Vc   | .35        | 3.00         |
|          | VIRGILIA, see Cladrastis.  |            |              |
| ds       | VITEX agnus-castus, Lilac Chaste-tree  | .15        | 1.50         |
|          | VITIS aestivalis, Summer Grape   | .30        | 2.60         |
| dv       |  | .30        | 2.60         |
| dv       | " candicans, Mustang G   | .30        | 2,60         |
| dv       | " coignetiae, Gloryvine  | .25        | 2.25         |
| dv       | " cordifolia, Frost G  | .25        | 2.25         |
| dv       | " labrusca, Fox G  | .35        | 3.00         |
| dv       | " rotundifolia, Muscadine G  | . 35       | 3.00         |
| dv       | WISTERIA frutescens magnifica, American W  | .35        | 3.00         |
| dv       | " multijuga, Longcluster W. blue   | .40        | 3.80         |
| dv       | " multijuga alba, White Longcluster W  | .50        | 4.50         |
| dv       | smensis, dide chinese w  | .20        | 1.50         |
| dv       | Sincisis area, white w   | . 40       | 3.40         |
| es       | YUCCA baccata, Banana Y  | .55        | 5.00         |
| es       | " brevifolia, Shortleaf Y  | .55        | 5.00         |
| es       | " filamentosa, Common Y. Beargrass"  " glauca (angustifolia) Soapweed Y          | .30        | 2.75         |
| es       | gloriosa, Moundlily Y  | .40        | 3.50         |
| -        | " whipplei, see Hesperoyucca.  |            | 0.00         |
| đŧ       | ZANTHOXYLUM americanum, Common Prickly-Ash                                       | .35        | 3.00         |
|          |  |            |              |
|          | ZELKOVA serrata, Sawleaf Z   | .30        | 2.80         |
| dt       | ZIZYPHUS jujuba, Common Jujube   | . 25       | 2.25         |
|          |  |            |              |

Order early and prepare the seeds for successful planting. Our pamphlet, "HOW TO MAKE TREE SEEDS GROW," gives practical instructions. It sells for  $25\phi$ , but we send it FREE on request to our customers with orders over \$1.00.

Katzenstein's Seeds with a Reputation for Growing

# **Fruit Seeds**

| ALMOND  |
|---|
| APPLE, Austrian   |
| # Domestic  |
| # French Crab   |
| # German, from Wild Seedlings   |
| APRICOT, Russian  |
| AVOCADO (Persea gratissima) \$2.00—10s; \$17.50—100s; \$150.00—1000s.  BUTTERNUT, see Juglans cinerea on page 9.  CHERRY, Mahaleb, washed   |
| BUTTERNUT, see Juglans cinerea on page 9.  CHERRY, Mahaleb, washed  |
| CHERRY, Mahaleb, washed   |
| " Mazzard, washed       .15       1.10       10.00         CHESTNUT, see under Castanea on page 7.       .25       2.00       18.00       160.00         HAZELNUT, see Corylus on page 7.       .15       1.30       160.00         HICKORY, see under Hicoria on page 7.       .15       1.35       12.50       110.00         "ANANGE, see under Citrus on page 7.       .15       1.35       12.50       110.00         "Naturals, small seed       .15       .30       2.50       12.50         PEAR, Austrian Wild       .15       1.40       13.00       120.00         "Domestic       .15       1.00       9.00       65.00         "French       .30       2.75       25.00       225.00         "German, from true Wild trees       .30       2.00       18.50       170.00         "Chinese, Pyrus calleryana, true       1.00       9.00       85.00          "Japanese, P. ussuriensis       .50       3.65       32.50       295.00         "Late Jap Pear, P. serotina       .50       3.00       27.00       245.00         PECAN, see under Hicoria pecan on page 9. |
| CHESTNUT, see under Castanea on page 7. CITRUS TRIFOLIATA, Hardy Orange   |
| CITRUS TRIFOLIATA, Hardy Orange   |
| HAZELNUT, see Corylus on page 7.  HICKORY, see under Hicoria on page 9.  LEMON, see under Citrus on page 7.  ORANGE, see under Citrus on page 7.  PEACH, Chinese Wild   |
| HICKORY, see under Hicoria on page 9.  LEMON, see under Citrus on page 7.  ORANGE, see under Citrus on page 7.  PEACH, Chinese Wild   |
| LEMON, see under Citrus on page 7.         ORANGE, see under Citrus on page 7.         PEACH, Chinese Wild.       .15       1.35       12.50       110.00         " Naturals, small seed.       .15       .30       2.50       12.50         PEAR, Austrian Wild.       .15       1.40       13.00       120.00         " Domestic.       .15       1.00       9.00       65.00         " French.       .30       2.75       25.00       225.00         " German, from true Wild trees.       .30       2.00       18.50       170.00         " Chinese, Pyrus calleryana, true.       1.00       9.00       85.00          " Japanese, P. ussuriensis.       .50       3.65       32.50       295.00         " Late Jap Pear, P. serotina.       .50       3.00       27.00       245.00         PECAN, see under Hicoria pecan on page 9.   |
| ORANGE, see under Citrus on page 7.         PEACH, Chinese Wild.       .15       1.35       12.50       110.00         " Naturals, small seed.       .15       .30       2.50       12.50         PEAR, Austrian Wild.       .15       1.40       13.00       120.00         " Domestic.       .15       1.00       9.00       65.00         " French.       .30       2.75       25.00       225.00         " German, from true Wild trees.       .30       2.00       18.50       170.00         " Chinese, Pyrus calleryana, true.       1.00       9.00       85.00          " Japanese, P. ussuriensis.       .50       3.65       32.50       295.00         " Late Jap Pear, P. serotina.       .50       3.00       27.00       245.00         PECAN, see under Hicoria pecan on page 9.  |
| PEACH, Chinese Wild.       .15       1.35       12.50       110.00         " Naturals, small seed.       .15       .30       2.50       12.50         PEAR, Austrian Wild.       .15       1.40       13.00       120.00         " Domestic.       .15       1.00       9.00       65.00         " French.       .30       2.75       25.00       225.00         " German, from true Wild trees.       .30       2.00       18.50       170.00         " Chinese, Pyrus calleryana, true.       1.00       9.00       85.00          " Japanese, P. ussuriensis.       .50       3.65       32.50       295.00         " Late Jap Pear, P. serotina.       .50       3.00       27.00       245.00         PECAN, see under Hicoria pecan on page 9.  |
| " Naturals, small seed  |
| PEAR, Austrian Wild.       .15       1.40       13.00       120.00         " Domestic.       .15       1.00       9.00       65.00         " French.       .30       2.75       25.00       225.00         " German, from true Wild trees.       .30       2.00       18.50       170.00         " Chinese, Pyrus calleryana, true.       1.00       9.00       85.00          " Japanese, P. ussuriensis.       .50       3.65       32.50       295.00         " Late Jap Pear, P. serotina.       .50       3.00       27.00       245.00         PECAN, see under Hicoria pecan on page 9.  |
| "Domestic   |
| " French  |
| "German, from true Wild trees   |
| " Chinese, Pyrus calleryana, true       1.00       9.00       85.00          " Japanese, P. ussuriensis       .50       3.65       32.50       295.00         " Late Jap Pear, P. serotina       .50       3.00       27.00       245.00         PECAN, see under Hicoria pecan on page 9.  |
| " Japanese, P. ussuriensis  |
| " Late Jap Pear, P. serotina  |
| PECAN, see under Hicoria pecan on page 9.   |
| PERSIMMON, see under Diospyros on page 8.   |
|   |
| PLUM, American, Prunus americana15 1.50 12.50   |
| " Myrabolan, P. myrabolana  |
| " St. Julien  |
| QUINCE, Cydonia oblonga   |
| WALNUT, see under Juglans on page 9.  |

# Seeds of Palms, Tropical and Subtropical Plants

IMPORTANT: Palm seeds should be cared for by the planter as soon as possible after ripening and gathering, and as many kinds listed by us must be shipped to us over long distances, orders should be in our hands as early as possible to have best care.

Seeds to the lb., 100s. 1000s. .40 Adenanthera pavonina, Red Sandalwood...... 1600 3.20 4.00 Archontophoenix alexandrae. ontophoenix alexandrae....elegans, Queensland Seaforthia..... 700 .40 2.80 900 Areca alba, see Dictyosperma.

"baueri..... 100 3.00 24.00 5.00 catechu.... . . . . . . . . . . . . " lutescens, see Chrysalidocarpus.
Arenga saccharifera, Sugar P. 125 12.50 1.50 Bauhinia, see page 6. Brahea, see Washingtonia. Caesalpinia, see Poinciana.
Calophyllum inophyllum, Hawaiian Kamani
Carica papaya, Papaya
Carludovica palmata, Panama Hat Palm
Caryota mitis, Fishtail P.

" urens, Toddy P.
Cassia alata, Apulco Ringworm C.

" fistula, Golden Shower

" glauca, Glossy Shower

" grandis, Pink Shower

" laevigata, Smooth Senna

" nodosa, Pink and White Shower

" siamea, Siamese Shower

Casuarina, see page 7. Caesalpinia, see Poinciana. 8.50 • • • • .65 12000 .40 1.10 3.20 8.00 1000M . . . . 650 • • • • . . . . 1.10 260 8.00 .90 16000 1400 .90 . . . . . . . . • • • • 26500 .90 . . . . . . . . 850 .90 • • • • • • • • . . . . .90 20000 • • • • .90 2400 . . . . . . . . 28000 .90 . . . . . . . . Casuarina, see page 7 Casuarina, see page 7.
Ceiba pentandra, Ceiba, Kapok Tree...
Chamaerops excelsa, see Trachycarpus.

"humilis, Hair P...
Chrysalidocarpus lutescens, Yellow Areca...
Cocos australis, Pindo P...

"campestris, Field P... 6000 .40 3.00 1.20 200 8.00 .70 .75 .70 6.00 6.50 850 • • • • • • • • 360 300

| COCOS (Cont'd.)                                      | Seeds to            | 400                 | 1000                |              | ••                  |
|--|---------------------|---------------------|---------------------|--------------|---------------------|
|  | the lb.             | 100s                | 1000s               | oz.          | lb.                 |
| " plumosa, San Diego P                               | 120                 | .75                 | 6.00                |              |                     |
| " romanzoffiana, Romanzoff P                         | . 90                | .80                 | 7.00                |              |                     |
| " weddelliana, Weddell P                             | 300                 | 2.25                | 18.50               |              | ::::                |
| Cordyline australis, Green Broadleaf D               |                     | • • • •             |                     | .50          | 4.50                |
| " indivisa, Blue Narrowleaf Dracaena                 | 100000              | 2 00                | 24.00               | .60          | 5.50                |
| Cycas revoluta, Sago Palm                            |                     | 3.00                | 24.00               | • • • •      | • • • •             |
| Dictyosperma album, White Areca                      |                     | .70                 | 5.60                | .45          | 3.25                |
| Dracaena draco, Dragontree                           | 70                  | 2.00                | 15.00               |              |                     |
| Eriobotrya japonica, Loquat                          |                     |                     |                     | .30          | 2.50                |
| Erythea armata, see Glaucothea.                      | 200                 | ••••                | ••••                | .00          | 2.00                |
| brandegeei, Brandegee P                              | 250                 | .90                 | 7.00                |              |                     |
| " edulis, Guadalupe P                                |                     | 1.60                | 12.00               |              |                     |
| Eucalyptus, see page 8.                              |                     |                     |                     |              |                     |
| Ficus elastica, India Rubbertree                     | 1000M               | .40                 | 2.50                |              |                     |
| Glaucothea armata                                    | 200                 | 1.20                | 9.00                |              |                     |
| Grevillea robusta, Silk Oak                          |                     | 1111                |                     | 1.00         | 9.00                |
| Howea belmoreana, Belmore Kentia                     | 85                  | 5.50                |                     |              |                     |
| " forsteriana, Forster Kentia                        | 140                 | 4.50                |                     |              |                     |
| Jubaca spectabilis, Syrup P                          | 50                  | 2.00                |                     |              |                     |
| Latania borbonica, see Livistona sinensis.           | 60                  | F F0                |                     |              |                     |
| " loddigesi  |                     | 5.50                | • • • •             | • • • •      | • • • •             |
| Licuala grandis                                      |                     | 2.40<br>1.10        | 8.00                | • • • •      | • • • •             |
| Livistona (Corypha) australis, Fan P                 | 320                 | $\frac{1.10}{2.50}$ | 17.50               | • • • •      | • • • •             |
| " sinensis, Chinese Fan P.                           | 400                 | .40                 | 3.00                | • • • •      | • • • •             |
| Macadamia ternifolia, Queensland Nut                 | 60                  | . 10                | 0.00                | .30          | 2.80                |
| Muntingia calabura, Jamaica-Cherry                   |                     | 1.40                | 10.00               |              | 2.00                |
| Ochroma lagopus, Balsa-wood1 fruit .30, 10           |                     |                     | 20.00               | • • • •      | ••••                |
| Oreodoxa, see Roystonea.                             |                     |                     |                     |              |                     |
| Pandanus tectorius, Screwpine                        | 80                  | 2.00                | 17.50               |              |                     |
| " utilis, Common S                                   | 100                 | 2.00                | 17.50               |              |                     |
| Phoenix canariensis, Canary Date P                   | 350                 | .30                 | 1.80                |              |                     |
| " cycadifolia  |                     | .65                 | 5.60                |              |                     |
| " dactylifera, Date P                                | 550                 | .40                 | 2.80                | • • • •      |                     |
| Tarimiera  |                     | . 65                | 5.60                | • • • •      | • • • •             |
| giauca   | 700<br>700          | .60<br>.50          | $\frac{5.00}{3.50}$ | • • • •      | • • • •             |
| " leonensis, Sengal Date P"  " pumila, Dwarf D. Palm | 2000                | .50                 | 4.00                | • • • •      | • • • •             |
| " reclinata, Sengal Date P                           | 700                 | .50                 | 4.00                |              | • • • •             |
| " roebelini, Roebelin Date P                         |                     | .90                 | 7.50                |              |                     |
| " rupicola, Cliff Date P                             | 1400                | .75                 | 6.00                |              |                     |
| " sylvestris, India Date P                           | 1250                | .60                 | 5.00                |              |                     |
| Plumbago capensis                                    |                     | .50                 | 4.00                |              |                     |
| Poinciana pulcherrima (Caesalpinia) Flower-fence     | 3200                | .55                 | 4.20                |              |                     |
| " regia, Royal Poinciana                             | 1100                |                     |                     | .30          | 2.80                |
| Pritchardia filifera                                 | 5000                | .35                 | 1.80                |              |                     |
| " pacifica (Corypha umbraculifera)                   | 3000                | 1.00                | 8.00                |              |                     |
| Psidium cattleyanum, Red Strawberry Guava            |                     | 0.00                | 00.50               | .90          | 7.00                |
| Ravenala madagascariensis, Traveler's P              | 1400<br>4400        | $\frac{3.00}{2.25}$ | 22.50               | • • • •      | • • • •             |
| Rhapis flabelliformis, Fern P                        | 1850                | .45                 | 3.50                | • • • •      | • • • •             |
| Sabal blackburneana, Blackburn Palmetto              | 1200                | .90                 | 7.00                |              | • • • •             |
| " palmetto, Carolina P                               | 1500                | .60                 | 5.00                |              |                     |
| Schizolobium excelsum, Brazilian Shower              |                     | 1.40                |                     |              |                     |
| Seaforthia elegans                                   | 600                 | .40                 | 2.50                |              |                     |
| Spathodea campanulata, Fountain-tree                 | 111000              |                     |                     | 4.50         |                     |
| Swietenia mahogani, True Mahogany                    | 2000                |                     |                     | .70          | 6.00                |
| Tecoma stans, Florida Trumpetbush                    | 96000               |                     |                     | 3.50         |                     |
| Templetonia retusa, Melbourne Coralbush              | 8000                | .90                 |                     |              |                     |
| Thrinax altissima, Thatch Palm                       | 2000                | .80                 | 6.50                |              |                     |
| Trachycarpus excelsa, Windmill P                     | 1000                | .40                 | 3.20                |              | 1 50                |
| Washingtonia filifera, Calif, Washingtonia           | $\frac{4000}{3200}$ | • • • •             | • • • •             | . 20         | 1.50                |
| " robusta, Mexican W                                 | 2000                |                     | • • • •             | . 30<br>. 40 | $\frac{2.20}{2.60}$ |
| congrac, Donta 11                                    | 2000                | • • • •             | • • • •             | . 40         | 2.00                |

1000M = 1 Million estimated.

Ask for SPECIAL LIST OF SEEDS from the PHILIPPINE ISLANDS

Write us regarding other kinds of Palm, etc., seeds for which you are in the market, so that we may quote prices.

FLOWER SEEDS—We have discontinued listing flower seed in our price list, but we can continue supplying you with the highest grades at reasonable prices. Send us your list, so we may quote prices.

# **Lining-Out Stock**

S—seedings. C—cuttings. B—budded. G—grafted. P—pot. BB—baled X—transplanted once. XX—twice. XXX—three times.

These plants are not grown by ourselves but are offered as brokers and are shipped from different nurseries.

| Conifers  | 10 100 1000   |
|---|---|
| Abies balsamea, Balsam Fir4-6"  | \$ .75 \$ 1.40 \$12.50  |
| 6-8" SX Concolor, White F4-6"   | 1.00 4.00 37.00<br>.75 1.40 12.50   |
| 6–8" SX   | 1.00 4.00 37.00   |
| " fraseri, Fraser F   | .75 6.75 55.00<br>1.00 7.00   |
| " pectina, European Silver F  | 1.00 7.00<br>1.25 10.00 90.00   |
| " " pendula12-15" GXX   | 3.75 34.00  |
| Chamaecyparis lawsoniana, Lawson Cypress  | .50 1.65 13.75<br>1.90 15.00  |
| " " pendula   | 2.20 18.75  |
| Cryptomeria japonica var Yoshino8-12" CXX   | 1.85 15.00<br>1.85 15.00  |
| Cunninghamia lanceolata, Chinese Fir  | .95 7.50 62.50<br>1.25 10.00 90.00  |
| Cupressus sempervirens, Italian Cypress   | .40 2.25 16.50  |
| " " pyramidalis, Pyramidal I. C6-8" CX 8-10" CX   | 1.25 10.00 90.00<br>1.55 12.50 112.50                                       |
| Gingko biloba, Maidenhair Tree4-6" S<br>Juniperus chinensis, Chinese Junipe.r4-8" S   | .65 3.75  |
| " " albo variegata4-6" CX   | .95 7.50  |
| " " femina, Reeves J  | .95 7.50<br>1.25 10.00  |
| " " pfitzerjana, Pfitzer J  | .95 7.50 62.50  |
| 8-12" CXX " " procumbens, Trailing J  | 1.25 10.00 90.00<br>95 7.50   |
| 6-8" CX " " sargenti, Sargent J2-4" CX  | 1.25 10.00  |
| " communis, Common J., English J4-8" S  | .75 3.15 25.00  |
| " " Ashfordi  | .95 7.50<br>.95 7.50  |
| " " depressa, Canadian J8-12" CX  | .95 7.50  |
| " " " aurea, Golden C. J  | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$                       |
| 12-18" CXX  | 2.20 18.75<br>.95 7.50  |
| " excelsa stricta, Spiny Greek J.       6-8" CX         " hibernica, Irish J.       8-12" 2 yr. XX         " horizontalis douglasi, Waukegan J.       4-6" CX | 1.00 7.50 62.50   |
| " horizontalis douglasi, Waukegan J4-6" CX " virginiana, Redcedargrafting grade   | 1.25 10.00<br>.85 5.00 37.50  |
| " " glauca, Silver Redcedar   | 3.75 32.00  |
| Larix europaea, European Larch  | 1.00 4.00 37.00<br>.75 1.40 12.50   |
| " " albertiana, Black Hills S   | $\begin{array}{ccccc} .75 & 1.40 & 12.50 \\ .75 & 1.40 & 12.50 \end{array}$ |
| " mariana, (nigra) Black S6-8" S  | 1.00 4.00 37.00   |
| " orientalir, Oriental S  | 1.60 11.00<br>1.00 4.00 37.00   |
| Pinus densiflora, Jap Red Pine  | .75 2.75 24.00  |
| " montana mughus, Dwarf Mugho P4-6" S " nigra, Austrian Pine4-6" S  | .75 1.40 12.50<br>.75 1.40 12.50  |
| 6-8" SX " ponderosa, Western Yellow P4-6" S   | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$                       |
| " resinosa, Norway P4-6" S  | .75 1.40 12.50  |
| " rigida, Pitch Pine  | $\begin{array}{ccccc} .75 & 2.75 & \dots \\ .75 & 1.40 & 12.50 \end{array}$ |
| 6-8" SX   | 1.00 4.00 37.00   |
| Podocarpus macrophylla, Yew P   | 1.15 8.75   |
| Pseudotsuga douglasi, Douglas Fir   | $\begin{array}{cccccccccccccccccccccccccccccccccccc$                        |
| " filifera Thread R4-6" CX  | .65 5.00  |
| " " aurea, Golden Thread R  | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$                       |
| " obtusa crippsii aurea.       6-8" CX         " nana compactum.       2-4" CX  | 1.15 8.75   |
| " pisifera aurea, Golden Sawara R8-12" CX   | .95 7.50  |
| " plumosa, Plume R8-12" CXX   | .95 7.50  |
|   |   |

| Conifers   |                                      |                     |                      |               |
|--|--------------------------------------|---------------------|----------------------|---------------|
|  | Size                                 | 10                  | 100                  | 1,000         |
| RETINOSPORA (Cont'd.)  |                                      |                     | 200                  | 2,000         |
| " Plumosa aurea, Golden Plume R8-12  | CXX                                  | .95                 | 7.50                 |               |
| " argentea   | -8" CX                               | .95                 | 7.50                 |               |
| " squarrosa siedoidi, Andely R   | -8" CX<br>12" CX                     | .95<br>.95          | $7.50 \\ 7.50$       |               |
| " " veitchi  | yrs. old                             | 3.00                | 27.50                |               |
| Taxus baccata, English Yew   | 6-8" X                               | 1.40                | 10.50                |               |
| " canadensis, Canada Yew   | 6-8" X                               | 1.50<br>1.00        | 12.00<br>5.50        | 47.50         |
| Thuya occidentalis, American Arborvitac  | .4-6" S                              | .75                 | 1.40                 | 12.50         |
| 6  | -8" SX                               | 1.00                | 4.00                 | 37.00         |
| " " elwangeriana, Tom Thumb Av   | -8" CX                               | $\frac{.95}{1.25}$  | 7.50 $10.00$         | 62.50 $90.00$ |
| " " orientalis, Oriental Av  | .6-8" S                              | ,50                 | 95                   | 8.55          |
|  | 8-12″ S                              | .80                 | 1.90                 | 17.00         |
| " " ourse coronique Coldenire Av   | 2-18" S                              | 1.00                | 2 50                 | 22.50         |
| " " aurea conspicua Goldspire Av4  | -6" UX<br>-8" CX                     | $\frac{.95}{1.25}$  | 7.50<br>10.00        | 62.50 $90.00$ |
| 8-12   | " GXX                                | 1.60                | 12.50                | 30.00         |
| " " nana, Berckmans Golden Av4   | -6" CX                               | .95                 | 7.50                 | 62.50         |
| 6-   | -8" CX                               | 1.25                | 10.00                | 90.00         |
| gioposa, Golden Dan Av   | -4" CX<br>-6" CX                     | $\frac{.95}{1.25}$  | $7.50 \\ 10.00$      | 62.50 $90.00$ |
| " " bakerii, Baker Av  | -8" CX                               | .95                 | 7.50                 |               |
| " bonita, Bonita Av6-  | -8" CX                               | .95                 | 7.50                 |               |
| " " rosedale, Rosedale Av6-<br>I'suga canadensis, Canada Hemlock   | -8" UX<br>4-6" Q                     | .95<br>.75          | $7.50 \\ 1.40$       | 12.50         |
| 1 Suga canadensis, Canada Hemiock  | -8" SX                               | 1.00                | 4.00                 | 37.50         |
| " caroliniana, Carolina H  | .4-8" S                              | 1.00                | 4.50                 |               |
| 6-   | -12" SX                              | 2.50                | 21.00                | • • • •       |
| Trees and Shrubs   |                                      |                     |                      |               |
|  | Size                                 | 10                  | 100                  | 1,000         |
| Abelia grandiflora, Glossy A   |                                      | .95                 | 6.25                 | 56.00         |
| Acer dasycarpum, Silver Maple  | .2-3 ft.                             | .75                 | 2.00                 | 17.50         |
| " negundo, Boxelder  | 6-12" S                              | .60                 | 1.00                 | 7.00          |
| palmatum, Japanese M   | 2 yr. S                              | .75<br>1.50         | $\frac{2.75}{12.50}$ | 24.00         |
| " platanoides, Norway M  | -3 ft. X                             | 1.25                | 10.50                |               |
| " rubrum, Red M  | 2-18" S                              | .80                 | 2.75                 | 20.00         |
| " saccharum, Sugar M   | 2-18" S                              | .80                 | $\frac{2.75}{3.00}$  | 20.00         |
| Aesculus octandra, Yellow Buckeye  | 6-8" S                               | .75<br>.60          | $\frac{3.00}{2.50}$  |               |
| Aleurites fordi, Tung Oil Tree   | . 2-6 ft.                            | 1.00                | 7.50                 | 62.50         |
| Antigonon leptopus, Rosa-De-Montana  | 1 yr.                                | 1.50                | 9.25                 | 75.00         |
| Aucuba japonica aureo—maculata, Gold-dust6-8" S<br>Azalea amonea(bed grow                                  | $\frac{21}{2}$ " P $\frac{5-6}{6}$ " | 1.40<br>1.50        | $\frac{11.25}{9.00}$ | • • • •       |
| " " coccinea   | 2" P                                 | 1.00                | 8.25                 |               |
| " japonica. Japanese A2-6" 2 y   | r. SXX                               | .65                 | 3.75                 |               |
| " kaempferi, Torch A   | r. SXX                               | . 65                | $\frac{3.75}{2.75}$  | • • • •       |
|  | r. baa                               | . 65                | 3.75                 | • • • •       |
| HARDY JAPANESE AND KRUME AZALEA.   |                                      |                     |                      |               |
| Group I.—  | 0# OTF                               | 4 00                |                      |               |
| Benigiri, Flame, Hinamoyo (Spring Delivery)4   | th bude                              | 1.00                | 7.50                 | • • • •       |
| 6-8" CXX 2 yr. wi<br>8-10" CXX 2 yr. wi  | th buds                              | $\frac{2.20}{3.75}$ | 18.75<br>31.25       |               |
| 10-12" CXX 3 yr. wi  | ith buds                             | 5.00                | 43.75                |               |
| 12–18" CXXX 3 yr. wi   | th buds                              | 6.25                | 50.00                | • • • •       |
| Group II.—   |                                      |                     |                      |               |
| Christmas Cheer, Coral Bell, Hexe, Hinodegiri, Kimunazoi, tha, macrantha dbl, macrostemon, Snow, Yaegiri4- | macran-                              | 1.25                | 10.00                |               |
| 6-8" CXX 2 yr. wi  | ith buds                             | 3.75                | 31.25                |               |
| 8-10" CXX 2 yr. wi   | ith buds                             | 5.00                | 43.75                | • • • •       |
| 10-12" CXX 3 yr. wi  |                                      | 7.50                | 62.50                | • • • •       |
| AZALEA INDICA, ALL VARIETIES—Pink, Rose red, S   | almon,                               | 0"                  | 7 50                 |               |
| Lavender, lilac, White and Variegated4-6-8" CXX 2 yr. wi   | th buds                              | .95 $2.20$          | 7.50<br>18.75        | • • • •       |
| 8-10" CXX 2 yr. wi   | ith buds                             | $\frac{2.20}{2.75}$ | 25.00                | • • • •       |
| 10-12" CXX 2 yr. wi  | ith buds                             | 3.45                | 31.50                |               |
| 12-18" CXXX 3 yr. wi   | ith buds                             | 5.00                | 43.75                | • • • •       |
| 40 OLW CITATES A   |                                      |                     |                      |               |
| 12-24" CXXX 3 yr, wi   | th buds                              | 7.50                | 62.50                | • • • •       |
| Berberis atrocarpa, Blackfruited B   | 2½" P                                | .95<br>3.75         | 7.50<br>25.00        | • • • •       |

| KATZENSTEIN & COMPANY,  | ATLANTA,                      | GA.  | , U. :              | S. A.          |
|---|-------------------------------|--|---------------------|----------------|
| BERBERIS (Cont'd.)  | Size                          | 10   | 100                 | 1,000          |
| " julianae, Wintergreen B   | 2-4" C 2½" P<br>5" P          | 1.15<br>4.50                               | 8.75<br>37.50       | • • • •        |
| sargentiana, Sargent B  | 2-4" C 2½" P                  | 1.15                                       | 8.75                | • • • •        |
| " subcauliatata. " thunbergi, Japanese B  | 2-4" C 2½" P                  | 1.15                                       | 8.75<br>1.25        | 8.75           |
| " " atropurpurea, Redleaf B   | 1 yr. S                       | .65  | 3.40                | 27.50          |
| verruculosa, Warty B. (for rock garden)   | 2½″ P                         | 1.50<br>1.50                               | 9.00<br>10.50       | • • • •        |
| Buxus sempervirens, Common Box  | 4-6" CX<br>6-8" CX            | .75<br>1.00                                | 5.00<br>7.50        |                |
| " suffrutions Dworf English Roy   | 8-12" CXX                     | 1.55                                       | 12.50               | ••••           |
| " suffruticosa, Dwarf English Box   | 4-6" CX                       | .75<br>1.00                                | 5.00<br>7.50        |                |
| Calycanthus floridus, Sweetshrub  | 18-24" S                      | .75<br>1.10                                | 3.25<br>9.25        | 25.00          |
| NAME VARIETIES OF CAMELLIAS.  | U U D JI                      | 1.10                                       | •                   | ••••           |
| All our Camellias are pot grown. It is our strong   | belief that pot               |  |                     |                |
| grown Japonicas are far superior to the plants from poorly balled and burlapped. Plants from pots can | the ground and also be safely |  |                     |                |
| removed any time of the year.   |                               |  |                     |                |
| Group 1.— Chandlerii, Elegans, Countess of Orkney, Herme, F   | )naf                          |  |                     |                |
| Sargent   | 6-8" 2½" P                    | 6.25                                       | 50.00               | ••••           |
|   | 8-12" 3" P<br>12-18" 4" P     | 7.50                                       | 62.50 $93.75$       | • • • •        |
| Group 11.—  |                               | -0.00                                      |                     |                |
| Abby Wilder, Alba Pleno, Governor Mouton, Pink tion   | Perfec-<br>6-8" 21/3" P       | 3.75                                       | 31,25               |                |
|   | 8-12" 3" P<br>12-18" 4" P     | 4.50                                       | 37.50               |                |
| Group 111   | 12-18" 4" P                   | 7.50                                       | 70.00               | • • • •        |
| Cheerfulness, Darsii, Madona, Noblissima, Purity,   | Tri-                          | 2 15                                       | 05 00               |                |
| color   | 8-12" 3" P                    | 3.15<br>3.75                               | 25.00<br>31.25      |                |
| Group IV.—  | 12-18" 4" P                   | 5.75                                       | 50.00               | • • • •        |
| Americana, Jarvis Red, Sarah Frost Unnamed Van  | rieties, sold by              | 4  |                     |                |
| color and not by name   | 6-8" 2½" P<br>8-10" 3" P      | $\frac{1.90}{2.50}$                        | 15.00<br>18.75      |                |
|   | 10-12" 3" P<br>12-18" 4 P"    | 3.15<br>5.00                               | 25.00<br>43.75      |                |
| CAMELLIA SASANQUA.  | 72 10 11                      | 9.00                                       | 10.10               | • • • •        |
| NAME VARIETIES. Crimson Bride   | 6-8" CXX                      | 3.15                                       | 25.00               |                |
| Dorn  | 6-8" CX                       | 2.80                                       | 25.00               |                |
| Maiden's Blush  | 6-8" CX                       | $\frac{1.25}{1.55}$                        | 10.00<br>12.50      |                |
| White Butterfly   | 6-8" CX                       | 1.25                                       | 10.00<br>6.25       | • • • •        |
| Celastrus scandens, American Bittersweet  | .6-12" 1 yr. C                | .75  | 3.25                | 25.00          |
| Cercis canadensis, American Red Bud   | 2-3 ft. S                     | .75<br>.75                                 | 3.00<br>3.50        | 25.00<br>27.50 |
| Chionanthus virginica, White Fringe   | 6-8" S                        | .80<br>1.00                                | 6.75<br>5.50        | 50.00          |
| Cladrastis lutea, Yellow Wood   | 6-12" S                       | . 75                                       | 2.75                | 21.00          |
| Clematis coccinea, Scarlet C  " crispa, Curly C   | 2 yr.                         | 1.15<br>1.15                               | 8.75<br>8.75        | 75.00<br>75.00 |
| " crispa, Curly C " paniculata, Sweet Autumn C. (No. 1) Clerodendron trichotomum, Glory Bower         | 2 yr. X                       | 1.75                                       | 13.75<br>4.20       | • • • •        |
| Cornus florida, White Flow. Dogwood   | 9-12"                         | .75  | 1.85                | 15.00          |
| " " rubra, Red Flow. D  | 2-3 ft.                       | 2.40<br>6.25                               | 20.00<br>57.50      |                |
| Cotoneaster apiculata   | 8-12" X                       | $\frac{2.50}{2.50}$                        | 17.00<br>18.75      | • • • •        |
| " decora  | 3" P                          | 2.50                                       | 18.75               | • • • •        |
| " francheti, Franchet C   | 6-8" C 2½" P                  | $\begin{array}{c} 1.50 \\ .95 \end{array}$ | 10.50<br>7.50       |                |
| " horizontalis, Rock C " microphylla, Rockspray C   | 3" P                          | 2 25<br>1.50                               | 15.00<br>10.50      |                |
| " salicifolia   | 2" P                          | 1.50                                       | 10.00               |                |
| " simonsii, Simons C  | 12–18″ S                      | $6.25 \\ .75$                              | 50.00<br>2.50       | 18.50          |
| Cytisus scoparius, Scotch Broom.  Deutzia gracilis, Slender G   | 12–18″ S                      | .75  | 3.25<br>1.60        | 25.00<br>11.00 |
| " scabra, Fuzzy D   | 6-12" C                       | .85  | 1.50                | 11.00          |
| Diervilla sessilifolia, Bush Honeysuckle,12-5<br>Elaeagnus pungens, Thorny E                          | 24" heavy div3-6" S           | . 75<br>. 75                               | $\frac{2.50}{2.50}$ | 19.00<br>15.75 |
|   |                               |  |                     |                |

| Erica carnea, Spring Heath   | 4-6" C 2½" P                | 1.15                | 8.75  |                      |
|--|-----------------------------|---------------------|---|----------------------|
| Euonymus japonica, Evergreen Burning Bush  | 6-8" X                      | 1.50                | 10.50                                       |                      |
| Exochorda grandiflora, Pearlbush   | 6-12" 1 yr. X               | .65                 | 3.15  | 25.00                |
| Fatisia japonica   | 8-10" SAA                   | 1.90                | $\frac{15.00}{2.50}$                        | 18.00                |
| Fraxinus americana, White A  | 12–18 T y1. O               | .50                 | 2.10  | 13.75                |
| " lanceolata, Green Ash  | 12–18″ S                    | .50                 | 2.10  | 13.75                |
| Gardenia florida, Cape-Jasmine   | 6-8" CX                     | . 65                | 5.00  |                      |
| Hamamelis virginiana, Common Witch-Hazel   |                             | .85                 | 4.25  | 37.50                |
| Hydrangea quereifolia, Oak Leaf Hydrangea<br>Hypericum aureaum, Golden St. John Wort   |                             | .75<br>.75          | $\begin{array}{c} 3.75 \\ 2.50 \end{array}$ | 31.00<br>18.50       |
| Ilex aquifolium, English Holly   | 9-12" 216" P                | 1.25                | 8.75  | 75.00                |
| " cassine, Dahoon H  | $8-12''$ $2\frac{1}{2}''$ P | 1.15                | 8.75  |                      |
| " cornuta, Chinese H   | 8-12" C 3" P 2 yr.          | 1.55                | 12.50                                       |                      |
| " crenata, Japanese H  | 8-12" C 3" P                | 1.25                | 10.00                                       |                      |
| " integra  | 6-8" C 2½" P                | 1.25                | 10.00                                       | • • • •              |
| " opaca, American Holly<br>Lagerstroemia indica, Crepemyrtle in colors   | 0-12" A                     | $\frac{1.50}{1.60}$ | $12.50 \\ 12.50$                            | • • • •              |
| Laurocerasus caroliniana, Cherry Laurel  | 8-12" S                     | .95                 | 7.50  | 62.50                |
| Dual occurrence out of the same of the sam | 12-18" S                    | 1.25                | 10.00                                       | 90.00                |
| " officinalis, English Laurel  | 8-12" CXX                   | 1.25                | 10.00                                       |                      |
| Ligustrum amurense, Amur, Frivet   | 14-10 4 VI. 0               | .50                 | 1.35  | 9.75                 |
| " japonicum, Japanese P  | 10-15"                      | .50                 | 2.60  | 20.00                |
| " lucidum, Glossy P<br>" ovalifolium, Calif. P   | 1 9                         | .50<br>.50          | $\frac{2.60}{1.25}$                         | 20.00<br>8.75        |
| Lonicera japonica halliana, Halls Honeysuckle.   | 1 vr strong                 | .95                 | 5.00  | 37.50                |
| nomeora japonica namana, mano monogotekie.   | 2 vr. strong                | 1.00                | 6.00  | 50.00                |
| Magnolia grandiflora, Southern Magnolia  | 6-8" S                      | . 65                | 5.00  | 45.00                |
|  | 0-14 0                      | . 95                | 7.50  | 67.50                |
| " soulangeana, Saucer M  | 8-12″ 3″ P                  | 3.75                | 31.00                                       | • • • •              |
| Mahonia aquifolium, Oregon Grape   | o 10% gyvy                  | .75                 | 4.15<br>11.25                               | • • • •              |
| " japonica (bealei) Leatherleaf H<br>Morus alba tatarica, Russian Mulberry   | 2_3 ft S                    | 1.40<br>.75         | $\frac{11.25}{2.50}$                        | 18.75                |
| Nandina domestica.   | 4-6" SX                     | .85                 | 6.25  | 56.25                |
| Transmit Composition (1)   | 6-8" SX                     | .95                 | 7.50  | 67.50                |
|  | 8-10" SX                    | 1.15                | 9.50  | 85.50                |
|  | 10-12" SXX                  | 1.40                | 10.50                                       | 95.00                |
| Osmanthus aquifolium, Holly O  | 6-8" CX                     | 1.25                | 10.00                                       | • • • •              |
| Photinia glabra, Japanese P.  " serrulata, Low P.  | 12-18" UXX                  | 1.25                | 10.00                                       | • • • •              |
| Pieris japonica, Japanese Andromeda  | 6-8" C 21/2" P              | 1.25                | 10.00                                       |                      |
| Pittosporum tobira, Tobira   | 4-6" CX                     | .65                 | 5.00  |                      |
| Pueraria thunbergiana, Kudzu Bean (No. 1)  | 1 yr. S                     | . 60                | 3.50  | 27.50                |
| (No. 1)  | 2 yr. X                     | 1.10                | 8.25  | 62.50                |
| Pyracantha formosana, most showy variety   | 8-12" C 2½" P               | 1.25                | 10.00                                       | • • • •              |
| " lalandi, Laland Firethorn yunnanensis, Yunnan F  | 8-12" C 2½" P               | $\frac{1.25}{1.25}$ | 10.00                                       | ••••                 |
| Quercus acuta, Japanese Evergreen Oak  | 8-12" S                     | 1.40                | 11.00                                       |                      |
|  |                             | 2.10                | 11.00                                       | ••••                 |
| OAK SEEDLINGS:   |                             |                     |   |                      |
| Quercus alba, White Oak; Falcata, Spanish Oak  | ; Nigra, Water Oak          | 0.5                 | 0.40  | 00.00                |
| Palustris, Pin Oak; Rubra, Red Oak; Prinus, Che<br>Rhodotypos kerrioides, Jetbead  | estnut Oak; I yr. S         | .65                 | 2.40<br>3.75                                | 20.00<br>25.00       |
| Rhus canadensis, Fragrant Sumach   | 6-12" S                     | .75                 | 3.50  | 27.50                |
| " copallina, Shining S   | 6-12" S                     | .75                 | 1.40  | 11.00                |
| " glabra, Smooth S   | 6-12" S                     | .75                 | 1.40  | 11.00                |
| " typhina, Staghorn S  | 6-12" S                     | .75                 | 1.40  | 11.00                |
| Robinia pseudacacia, Blacklocust   |                             | .40                 | . 85  | 5.00                 |
|  | 6-12" S<br>12-18" S         | .50                 | 1.00<br>1.40                                | 6.25<br>8.7 <b>5</b> |
|  | 18-24" S                    | .85                 | 1.70  | 9.50                 |
| Rosa rouletti, for rock gardens  | 2-4" 2½" P                  | 1.60                | 12.50                                       |                      |
| Salix babylonica, Weeping Willow   |                             | 3.50                | 30.00                                       |                      |
| Skimmia japonica, Japanese Skimmia   | 6-8" X                      | 1.60                | 12.50                                       |                      |
| Thea sinensis, Tea   |                             | . 95                | 6.25  | 7 50                 |
| Ulmus pumila, Chinese Elm  | 12–18″ S                    | 1.00                | $\frac{1.25}{1.75}$                         | 7.50 $12.50$         |
|  | 10 9A# Q                    | 1.25                | 1.73  | 18.75                |
| Viburnum carlesi, Fragrant V   |                             | 4.50                | 41.00                                       |                      |
| " lantana, Waytaring Tree  | 12-18"                      | .75                 | 3.50  |                      |
| Vitex agnus-castus, Lilac Chaste-tree  | 6-12"                       | .60                 | 2.50  | 18.75                |
| WEIGELA:   |                             |                     |   |                      |
| Amabilis, Light Pink; Gigantiflora, White Ti   | inted Pinks Hander          |                     |   |                      |
| soni, Red Rose, Rosea, Dark Pink   | 12-18" 1 vr. C              | .75                 | 2.50  | 18.75                |
| Wisteria frutescens, American W. (No. 1)   | 2 yr. X                     | 1.50                | 7.50  | 62.50                |
| " sinensis, Blue Chinese W(No. 1   | l) 2 yr. X 2-3 ft. top      | 2.00                | 18.75                                       |                      |
| " " alba, White Chinese W(No. 1  | 1) 2 yr. X 2-3 ft. top      | 2.00                | 18.75                                       |                      |
|  |                             |                     |   |                      |

| Fruit Tree Seedlings   |                     |                  |                  |
|--|---------------------|------------------|------------------|
|  | 100                 | 1 000            |                  |
| APPLE SEEDLINGS, OREGON GROWN.  No. 1, 3-16 to 1-4 inch branched   | 100<br>2.35         | 1,000 20.00      |                  |
| No. 1, 3-16 to 1-4 inch straight   | 2.00                | 17.50            |                  |
| No. 2, 2-16 to 3-16 inch branched  | 1.75<br>1.50        | $15.00 \\ 12.50$ |                  |
| No. 3, about 2–16 inch   | 1.25                | 10.00            | • • • •          |
| MAHALEB, MAZZARD AND MYROBOLAN, OREGON GROWN   |                     | 20.00            |                  |
| ¼ inch and up  | $\frac{2.50}{2.20}$ | $20.00 \\ 17.50$ |                  |
| No. 2, 2 to 3–16 inch  | 1.60                | 12.50            |                  |
| No. 3, about 2-16 inch   | 1.25                | 10.00            |                  |
| No. 1, 3-16 to 1-4 inch branched.  | 2.50                | 22.50            |                  |
| No. 1, 3-16 to 1-4 inch straight   | 2.00                | 17.50            |                  |
| No. 2, 2 to 3-16 inch branched.  No. 2, 2 to 3-16 inch straight.   | $\frac{2.00}{1.50}$ | 17.50 $12.50$    |                  |
| No. 3, about 2–16 inch   | 1.25                | 10.00            |                  |
| QUINCE, ROOTED CUTTINGS, OREGON GROWN.   | 4.40                | 27 00            |                  |
| 1/4 in hard up.<br>No. 1, 3-16 to 1-4 inch.  | 3.70                | 37.00<br>31.00   |                  |
| No. 2, 2 to 3-16 inch  | 3.00                | 25.00            |                  |
| Fruits   |                     |                  |                  |
| APPLE.   | 10                  | 100              | 1000             |
| 2 yr. 5-16 to 7-16 inch 2 ft. and up   | 3.50                |                  | 275.00           |
| 2 yr. 7-16 to 9-16 inch 3 ft. and up.<br>2 yr. 9-16 to 11-16 inch 4 ft. and up.                                    | $\frac{4.90}{6.00}$ |                  | 380.00<br>480.00 |
| VARIETIES: Baldwin, Ben Davis, Black Bend, Delicious Duchess,  | 0.00                | 00.00            | 400.00           |
| Stayman Winesap, Yellow Transparent, York Imperial.  CRAB APPLE, PRICES SAME AS APPLES.                            |                     |                  |                  |
| VARIETIES: Hyslop, Red Siberian, Transcendent, Whitney, Yel-   |                     |                  |                  |
| low Siberian.  CHERRIES, SOUR.   |                     |                  |                  |
| 2 yr. on Mahaleb 5-16 to 7-16 inch 2 ft. and up  | 3.10                |                  | 220.00           |
| 2 yr. on Mahaleb 7-16 to 9-16 inch 3½ ft. and up   | 3.90                | 34.00            | 300.00           |
| CHERRIES, SWEET.   | 10                  | 100              | 1,000            |
| 2 yr. on Mahaleb 5-16 to 7-16 inch 2 ft. and up  | 4.15                | 35.00            |                  |
| 2 yr. o Mahaleb 7-16 to 9-16 inch 3 ft. and up   | 4.80                | 41.00            |                  |
| PEARS.   |                     |                  |                  |
| 2 yr. 5-16 to 7-16 inch 2 ft. and up   | 3.30                | 27.00<br>38.00   |                  |
| VARIETIES: Bartlett, Clapp Favorite, Garber, Kieffer.  | 4.40                | 33.00            | • • • •          |
| PEACHES, JUNE BUD, ALL POPULAR VARIETIES.  |                     |                  |                  |
| 18–24 inch   | .85                 | 7.00             | 68.75            |
| PECANS, BUDDED AND GRAFTED. 2-3 ft   | 4.50                | 41.25            | 400.00           |
| 3–4 ft   | 5.50                | 47.75            | 452.00           |
| 4-5 ft   | 7.25                | 63.75            | 610.00           |
| Burkett. PLUMS.  |                     |                  |                  |
| 3-16 to 7-16 inch 2 ft. and up   | 3.40                | 30.00            |                  |
| 7-16 to 9-16 inch 3 ft. and up.  | 4.40                | 38.00            |                  |
| VARIETIES: America, Black Beauty, Gold, Blue Damson, German Prune, Lombard, Compass, Abundanee, Burbank, Red June, |                     |                  | :                |
| Small Fruits   |                     |                  |                  |
| GRAPES.  |                     |                  |                  |
| 1 yr. No. 1.   | .90                 | 7.50             | 60.00            |
| 2 yr. No. 1  | 1.55                | 12.50            | 90.00            |
|  |                     |                  |                  |

| Small Fruits (Cont'd.)                         |                     |                     |                       |
|--|---------------------|---------------------|-----------------------|
| RASPBERRIES, PLANTS, TIPS AND SUCKERS.         |                     |                     |                       |
| Cumberland Black and Logan Early Black         | .50                 | 1.90                | 12.50                 |
| Chief. Red                                     | .75                 | 2.50                | 18.75                 |
| Columbian, Purple and Latham, Red              | . 75                | 2.50                | 20.00                 |
| Newburgh, Red and Straub raspberry             | 1.25                | 3.75                | 31.50                 |
| BLACKBERRIES, PLANTS.                          |                     |                     |                       |
| Early Harvest                                  | . 75                | 2.20                | 17.00                 |
| Eldorado                                       | . 75                | 2.50                | 20.00                 |
| Blower   | $\frac{1.00}{1.25}$ | $\frac{2.75}{3.75}$ | $\frac{22.00}{31.50}$ |
| Chrystal White                                 | 2.50                | 12.50               | 31.00                 |
| DEWBERRIES.                                    | 2.00                | 12.00               | ••••                  |
|  | .50                 | 1.90                | 15.00                 |
| Lucretia 1 yr. No. 1. Young Berry 1 yr. No. 1. | .75                 | 2.50                | 20.00                 |
| ASPARAGUS, 2 YR. ROOTS.                        | .,,                 | 2.00                | 20.00                 |
|  | .50                 | 1.10                | 8.25                  |
| Martha Washington                              | .75                 | 1.10                | 8.75                  |
| HORSE RADISH                                   |                     | 1.20                | 00                    |
|  | 50                  | 1.05                | O OF                  |
| No. 1 Root Cutting                             | .50                 | 1.25                | 8.25                  |
| Whole Roots                                    | 1.00                | 3.10                | 25.00                 |
| RHUBARB ROOTS, 3/4 inch Cal                    | 1.00                | 3.10                | 25,00                 |

F. O. B. GROWER'S POINT.
Packing at cost 5, 40 and 400 at 10, 100 and 1,000 Prices.
WRITE ABOUT OTHER SIZES AND OTHER KINDS.

# Woodsgrown Trees and Shrubs

We have for many years supplied woodsgrown trees and shrubs in very considerable quantities. This material is splendid value and is suitable for growing on or for landscape effects.

| growing on or tor tunaboups director                                  | Size                                  | Per   | Per   |
|---|---------------------------------------|-------|-------|
|   | Feet                                  | 100   | 1000  |
| Acer saccharum, Sugar Maple   | 1-11/2                                | 1.00  | 6.50  |
| Aesculus pavia rubra, Red Flowering Buckeye Sel                       | 11/2-2                                | 11.50 |       |
| Amelanchier canadensis, Downy Shadblow                                | 2-3                                   | 5.00  | 42.50 |
| Aralia spinosa, Devil's Walkingstick                                  | $1-1\frac{1}{2}$                      | 3.75  | 25.00 |
| Aronia Arbutifolia, Red Chokeberry                                    | 2-3 div.                              | 2.50  | 11.25 |
| " Melanocarpa, Black Chokeberry                                       | 2–3 div.                              | 2.50  | 11.25 |
| Asimina triloba, Papaw  | $1\frac{1}{2}-2$                      | 2.50  | 18.75 |
| Azalea nudiflora, Pinxterflower                                       | 1/2-2                                 | 5.00  | 42.50 |
| " viscosa, Swamp A  | <del>1/2</del> -2                     | 5.50  | 45.00 |
| Benzoin aestivalis, Spice Bush  | 1-11/2                                | 1.60  | 11.25 |
| Betula lenta, Sweet Birch   | 1-11/2                                | 1.60  | 11.25 |
| " nigra, Riverbush  | 1-11/2                                | 1.00  | 6.25  |
| Bignonia radicans, Trumpetcreeper                                     | 1/2-1                                 | 1.60  | 11.25 |
| Calycanthus floridus, Sweetshrub                                      | 11/2-2                                | 2.00  | 15.75 |
| Carpinus caroliniana, American Hornbeam                               | 1-11/2                                | 1.25  | 8.75  |
| Castanea dentata, American Sweet Chestnut                             | 2-3                                   | 6.25  | 57.05 |
| Celtis occidentalis, Hackberry.                                       | 1/2-1                                 | 1.25  | 8.75  |
| Cercis canadensis, American Redbud                                    | 11/2-2                                | 1.60  | 11.25 |
| Chionanthus virginica, White Fringe                                   | $\frac{1}{2}$ -1                      | 3.75  | 31.50 |
|   | 1-2                                   | 5.70  | 45.00 |
| Cladrastus lutea, Yellow-wood   | 1-11/2                                | 1.90  | 15.00 |
| Clethra alnifolia, Summersweet  | 1-2                                   | 3.75  | 35.00 |
| Cornus florida, Flowering Dogwood                                     | 11/2-2                                | 1.60  | 8.70  |
| Corylus americana, American Hazelnut                                  | 2–3 div.                              | 2.50  | 18.75 |
| Crataegus crusgalli, Cockspur Thorn                                   | 1-11/2                                | 3.75  | 31.05 |
| Dirca palustris, Leatherwood  |                                       | 1.60  | 11.25 |
| Epigaea repens, Trailing Arbutus                                      | $\frac{\frac{1}{2}-1}{\frac{1}{2}-1}$ | 2.50  | 18.75 |
| Euonymus americanus, Brook E  | $1\frac{1}{2}$ 3                      | 2.00  | 12.50 |
| Fagus americana, American Beech                                       | 1-11/2                                | 1.00  | 6.25  |
| Fothergilla alnifolia,  | 1-2                                   | 4.50  | 42.50 |
| Hamamelis virginiana, Common Witch-hazel                              | 1/2-1                                 | 2.50  | 18.75 |
| Hydrangea aborescens, Smooth Hydrangea                                | 1-11/2                                | 1.90  | 10.00 |
| and an amban and account, semicorn and arangon triting the triting to | 11/2-3                                | 2.00  | 18.75 |
| Hypericum aureum, Golden St. John's Wort                              | 1-11/2                                | 1.60  | 11.25 |
| " prolifieum, Shrubby St. John's Wort                                 | 1-11/2                                | 1.60  | 11.25 |
| Ilex glabra, Inkberry   | 1/2-1                                 | 4.50  | 40.00 |
| " opaca, American Holly   | 1/2-1                                 | 1.90  | 15.00 |
| opusus inmenseus acong i i i i i i i i i i i i i i i i i i i          | 1-2                                   | 4.50  | 37.50 |
| " verticillata, Common Winterberry                                    | 1-2 div.                              | 3.25  | 25.00 |
| " vomitoria, Yawpon   | 1-2                                   | 5.50  | 45.00 |
| Juglans cinerca, Butternut.   | 1/2-1                                 | 1.25  | 8.75  |
| " nigra, Black Walnut   | 1/2-1                                 | 1.25  | 8.75  |
|   | 76 -                                  | 1,20  |       |

| WOODSGROWN TREES AND SHRUBS—Cont'd.                          |                                   |                     |                      |
|--|-----------------------------------|---------------------|----------------------|
| Juniperus virginiana, Red Cedar                              | ½−1                               | 1.00                | 7.50                 |
|  | 1-11/2                            | 1.60                | 11.25                |
| Kalmia latifolia, Mountain Laurel                            | ⅓2−1<br>1−3                       | 1.90                | 15.00                |
| Leucothoe catesbaei, Drooping Laurel                         | 1-3                               | 4.50                | 38.00                |
| " racemosa, Sweet Bells                                      | 1-11/2                            | 3.75                | 31.00                |
| Liquidambar styraciflua, Sweet Gum                           | 1-13/2                            | 1.25                | 8.75                 |
| Liriodendron tulipifera, Yellow Poplar                       | 1/2-1                             | 1.00                | 6.25                 |
| Larianza balliana iananiaa Wall Iananana Wanannalda amall    | 11/2-2                            | 1.60                | 11.25                |
| Lonizera halliana japonica, Hall Japanese Honeysuckle, small | • • • • • •                       | .75<br>1.60         | $\frac{5.00}{11.25}$ |
| " sempervirens, Trumpet Honeysuckle, medium                  | 1-11/2                            | 2.00                | 12.50                |
| " glauca, Sweetbay   | 4-8"                              | 5.50                | 42.00                |
| glabou, Oncorbay   | 11/2-2                            | 6.00                | 50.00                |
| " macrophylla, Big Leaf Magnolia                             | 1/6-1                             | 6.25                | 50.00                |
| " tripetala, Umbrella M                                      | $\frac{1}{2}-1$ $\frac{1}{2}-1$   | 6.25                | 50.00                |
| Malus coronaria. Wild Sweet Crab                             | 1-2                               | 6.25                | 50.00                |
| Oxydendrum arboreum, Sourwood                                | 1-11/2                            | 2.00                | 12.50                |
| Pieris lucida, Fettcrbush                                    | 1-2                               | 4.50                | 36.00                |
| Pinus echinata, Short Leaf Pine                              | $\frac{1}{2}$ -1 $\frac{1}{2}$ -1 | 1.00                | 7.50                 |
| " taeda. Loblolly Pine                                       | 1/2-1                             | 1.00                | 7.50                 |
| Platanus occidentalis, American Plane                        | 1-2                               | 2.00                | 12.50                |
|  | 2-3                               | 2.50                | 18.75                |
| Prunus serotina, Wild Black Cherry                           | 1/2-1                             | 2.50                | 18.75                |
| Rhododendron carolinianum, Carolina Rh                       | 4-12"                             | 5.00                | 40.00                |
| " catawbiense, Catawba Rh                                    | 4-12"                             | 5.00                | 40.00                |
| " maximum, Rosebay Rh  | 6-9"                              | 3.20                | 25.00                |
|  | 10                                | 100                 | 1000                 |
| " carolinianum, Carolina Rh2-4'B.B.                          | 23.50                             | 200.00              | :                    |
| " catawbiense, Catawba Rh2-3' B.B.                           | 18.00                             | 165.00              |                      |
| " maximum, Rosebay Rh2-3' B.B.                               | 12.50                             | 100.00              | 15.00                |
| Robinia hispida, Rose Accacia                                | 1-11/2                            | 1.90                |                      |
| Sambucus canadensis, Common Elder                            | 1-2 div.                          | 1.25                | 8.75                 |
| Sassafras variifolium, Sassafras                             | 1-11/2                            | 1.60                | 11.25                |
| Smilax laurifolia, Laurel Greenbriar                         | 1-2                               | 4.20                | 35.00<br>18.75       |
| Stewartia pentagyna, Mountain Stewartia                      | $\frac{1}{2}$ -1 1-2 div.         | $\frac{2.50}{3.25}$ | 25.00                |
| Styrax americana, Snowbell. Tilia americana, American Linden | 1-2 div.<br>1-1½                  | $\frac{3.25}{2.00}$ | 12.50                |
| Tsuga canadensis, Canada Hemlock.                            | $\frac{1-1}{2}$                   | 2.00                | 12.50                |
| Isuga canadensis, Canada Hemiock                             | 1-11/2                            | 3.00                | 25.00                |
| Ulmus americana, American Elm                                | 11/2-3                            | 2.00                | 12.50                |
| Viburnum acerfolium. Maplcleaf V.                            | 2-3                               | 1.90                | 15.00                |
| " cassinoide, Witherod                                       | 1/2-1                             | 4.20                | 35.00                |
| " dentatum, Arrowwood  | 2-3                               | 1.90                | 15.00                |
| " nudum, Smooth Witherod                                     | 11/2-3                            | 2.50                | 18.75                |
| " prunifolium, Black Haw                                     | 1/2-1                             | 2.50                | 18.75                |
| Vinca minor, Common Perrywinkle                              | medium                            | .50                 | 4.50                 |
|  | heavy                             | 1.25                | 8.75                 |
| Zanthorrhiza apiifolia, Yellowroot                           | 1/2-1                             | 1.25                | 8.75                 |

F. O. B. Atlanta or collector's point, packing at cost, 50 and 400 at 100 and 1,000 prices. In quantities less than 25 Three Cents per plant higher, less than 50. Two Cents per plant higher, unless otherwise specified. Special quantity prices.

# **Roots and Seeds of Medicinal Plants**

Arrangements with very reliable growers permit us to offer the following list of high grade Medicinal Roots and Seeds for propagation at very attractive prices, which are not subject to any discount. We are not growers ourselves. For roots and seeds of economic plants not listed or for large quanti-

ties we can quote on direct inquiry.

Information regarding cultivation of Ginseng, Goldenseal and other herbs may be had by applying to the United States Department of Agriculture, Washington, D. C., which issues bulletins on these subjects.

#### ROOTS

### GINSENG (Panax quinquefolium)

|                                   |       | 100   |       |       |  |  |
|-----------------------------------|-------|-------|-------|-------|--|--|
|                                   | Roots | Roots | Roots | Roots |  |  |
| lyear old                         | 1.00  | 4.00  | 11.50 | 22.00 |  |  |
| 2 years old                       | 1.40  | 5.00  | 18.00 | 32.00 |  |  |
| GOLDENSEAL (Hydrastis canadensis) |       |       |       |       |  |  |
| 1 year old                        | . 65  | 2.00  | 6.50  | 11.00 |  |  |
| 2 years old, small                | .90   | 2.60  | 10.50 | 19.00 |  |  |
| 2 years old, strong (Woodsgrown)  | 1.35  | 3.20  | 12.50 | 23.00 |  |  |
|                                   |       |       |       |       |  |  |

#### SEEDS 100 500 1000 10,000 Oz. Lb. .50 27.50 1.80 3.00 Ginseng..... (Panax quinquefolium) Goldenseal . . . . . . . . . . . . . .35 1.40 2.00 18.00 . . . . . . . . Goldenseal ......(Hydrastis canadensis) Lobelia cardinalis ..... 3.00 26.00 . . . . . . . . (Cardinal flower) (Indian tobacco) .35 3.00 . 40 1.60 2.40 . . . . . . . . . . . . (Atropa belladonna) 1.00 Belladonna..... . . . . . . . . . . . . Shamebrier ........... (Schrankia angustata) .75 .30 2.40 Stramonium.....

(Datura stramonium)
Write us regarding seeds of other herbs.

We pay postage on domestic orders for these seeds when accompanied by cash.

#### SUNDRY MEDICINAL ROOTS

|  | 10<br>Roots | 100<br>Roots | 1,000<br>Roots |
|--|-------------|--------------|----------------|
| Aconitum napellus, Aconite                               | 1.00        | 3.00         | 18.00          |
| Aletris farinosa, Stargrass                              | 1.00        | 3.00         | 18.00          |
| Angelica atropurpurea, Purplestem Angelica               | 1.00        | 3.00         | 18.00          |
| Aplectrum hyemale, Puttyroot, Adam and Eve               | 1.25        | 3.50         | 20.00          |
| Arisaema triphyllum, Jack-in-the-Pulpit                  | 1.00        | 3.00         | 18.00          |
| Aristolochia serpentaria, Virginia Snakeroot             | 1.00        | 3.00         | 18.00          |
| Asclepias incarnata, Swamp Milkweed                      | 1.00        | 3.00         | 18.00          |
| Asclepias tuberosa, Butterflyweed                        | 1.00        | 3.00         | 18.00          |
| Asclepias tuberosa, Strong                               | 1.80        | 5.50         |                |
| Chamaelyrium luteum, Fairywand                           | 1.00        | 3.00         | 18.00          |
| Cimicifuga racemosa, Cohosh Bugbane                      | 1.00        | 3.00         | 18.00          |
| Cypripedium parviflorum, Small Yellow Lady-slipper.      | 1,50        | 7.00         |                |
| Dionaea muscipula, Venus Flytrap                         | 2.00        | 7.50         |                |
| Dioscorea villosa, Wild Yam                              | 1.25        | 3.50         | 22.50          |
| Dorsera routundifolia, Sundew                            | 1.80        | 5.50         |                |
| Erythronium americanum, Common Troutlily                 | 1.00        | 3.00         | 18.00          |
| Fragaria virginica, Va. Strawberry                       | 1.00        | 3.00         |                |
| Gelseium sempervirens, Carolina-Jessamine                | 1.00        | 3.00         | 18.00          |
| Gentiana andrewsi, Closed Gentian                        | 2.50        | 4.50         | 32.00          |
| Hepatica triloba, Roundlobe Hepatica                     | 1.00        | 3.00         | 18.00          |
| Hydrastis canadensis, Goldenseal (see page 21)           | .65         | 2.00         | 11.00          |
| Liatris pycnostachya, Cat-tail Gayfeather strong         | 2.00        | 8.50         | 70.00          |
| " scariosa, Blazing Star, strong                         | 2.00        | 8.50         | 70.00          |
| Mitchella repens, Partridgeberry                         | 1.00        | 3.00         | 18.00          |
| Panax quinquefolium, Ginseng (see page 21)               | 1.00        | 4.00         | 22.00          |
| Passiflora incarnata, Maypop                             | 1.00        | 3.00         | 18.00          |
| Phlox subulata, Moss Pink                                | 1.00        | 3.00         | 18.00          |
| Phlox subulata, Strong.                                  | 1.80        | 5.50         | 35.00          |
| Phytolacca americana (decandra) Common Pokeberry         | 1.00        | 3.00         | 18.00          |
| Polygola conoga Sonaka Spalkaroot                        | 1.00        | 3.00         | 18.00          |
| Polygala senega, Seneca-Snakeroot                        | 1.00        | 3.00         | 20.00          |
| Polygonatum biflorum, Small Solomonseal                  | 1.00        | 3.00<br>3.00 | 18.00<br>18.00 |
| Sarracenia flava, Trumpet Pitcherplant                   | 1.80        | 5.50         | 30.00          |
| Sarracenia purpurea, Common Pitcherplant                 | 1.80        | 5.50         | 35.00          |
| Sarracenia rubra, Sweet P                                | 2.00        | 6.00         |                |
| Silene virginica Firepink                                | 1.25        | 3.50         |                |
| Smilacina stellata, Starry False Solomons Seal           | 1.00        | 3.00         | 18.00          |
| Spigelia marilandica, Pinkroot                           | 1.00        | 3.00         | 18.00          |
| Stillingia sylvatica, Queen's Delight                    | 1.00        | 3.00         |                |
| Tradescantia virginica, Va. Spiderwort                   | 1.00        | 3.00         | 18.00          |
| Trillium erectum, Purple Trillium                        | 1.00        | 3.00         | 18.00          |
| " grandiflorum, Purple T                                 | 1.00        | 3.00         | 18.00          |
| " sessile, Toad T  | 1.00        | 3.00         | 18.00          |
| Viola cucullata, Blue Marsh Violet                       | 1.00        | 3.00         | 16.00          |
| Viola pedata, Birdsfoot Violet                           | 1.00        | 2.60         | 15.00          |
| Viola pubescens, Downy Yellow Violet                     | 1.00        | 3.00         | 16.00          |
| Prices for ten roots include delivery of domestic orders | accomp      | anied by     | y cash.        |
| NO DISCOUNTS ON ROOTS.                                   |             |              |                |

# **Books**

| best books on horticulture at publishers' prices and shall gladly obtain any books omitted from this list.  | for you             |
|---|---------------------|
| Prices include delivery in U. S. A. No discounts.   |                     |
| STANDARDIZED PLANT NAMES (1923) is becoming rapidly the acknowledged standard authority for all dealings in and current literature about plants in the United States. In our own publications we adhere strictly to Standardized Plant Names. | er e ou             |
| Standard Edition (bound in cloth for library and general use)  MACMILLAN COMPANY BOOKS  | \$ 5.00             |
|   |                     |
| THE STANDARD CYCLOPEDIA OF HORTICULTURE, edited by L. H. Bailey. Complete with color pages and nearly 5,000 engravings, these volumes give complete information on kinds, char-   |                     |
| acteristics, and methods of cultivation of all plants grown in North America. Ill., 3 vols, 3637 pages (Special Price Formerly \$25.00)   | 15.00               |
| BAILEY, L. H.—THE NURSERY MANUAL. Ille., 456 pages<br>BAILEY, L. H. & E. Z.—HORTUS: A CONCISE DICTIONARY  | 3.00<br>5.00        |
| OF GARDENING. 35 Ills., 652 pages   | 3.00                |
| enthusiast will find this the most complete and authoritative book on conifers that has yet been written. 162 Ills., 404 pages  | 7.50                |
| BOTTOMLEY, M. E.—THE DESIGN OF SMALL PROPER-  |                     |
| TIES. 233 pages. 64 illustrations   | 2.50                |
| volume wild flower book to picture the flowers in actual size, in   |                     |
| full colored photographs. 365 Ills., 340 pages  | 7.50<br>1.50        |
| HUME, H. H.—THE CULTIVATION OF CITRUS FRUITS  | 3.50                |
| HUME, H. H.—GARDENING IN THE LOWER SOUTH. The first and only complete garden guide for the South. 102 Ills., 472  |                     |
|   | 5.00                |
| pages.  I.AURIE, ALEX, AND CHADWICK, L. C.—THE MODERN NURSERY. Contains 52 tables, 107 Ills., 500 pages, fabrikoid  | 5.30                |
| binding. MASON, A. F.—SPRAYING, DUSTING AND FUMIGATING  | 3.30                |
| PLANTS. 237 Ills., 570 pages  | $\frac{3.00}{2.00}$ |
| RAMSEY, L. W.—LANDSCAPING THE HOME GROUNDS  | 2.00                |
| READ, ARTHUR D. M. F., Senior member of the Society of American Forestry. Mr. Read discusses the art and science of forestry  |                     |
| and its five major divisions: silviculture; forest protection; utiliza-   |                     |
| tion; management; forest policy. He takes up the demand for foresters, the remuneration paid, and the qualifications needed.  |                     |
| 1934 publication. Ill   | 1.25                |
| REHDER, ALFRED.—MANUAL OF CULTIVATED TREES AND SHRUBS. A complete and absolutely indispensable refer-   |                     |
| rence book of all hardy trees and shrubs. 976 pages   | 10.00               |
| ROCKWELL, F. F.—THE HOME GARDEN HANDBOOKS.  The titles now published are: Price per volume  | 1.25                |
| Rock Gardens Dahlias Irises Gladiolus Roses   |                     |
| Evergreens for the Small Place Shrubs Lawns STEVENS, G. A.—GARDEN FLOWERS IN COLOR For the  |                     |
| first time, a large collection of the most popular garden flowers is  |                     |
| reproduced in large, full-color photographs, alphabetically arranged and accompanied by brief descriptions and cultural notes.  |                     |
| 400 Ills., 310 pagesSTUCKEY-KYLE.—PECAN GROWING. Practical details of the   | 3.75                |
| culture, propagation, insect and disease protection, harvesting,  |                     |
| cracking and marketing of pecans. Includes the latest methods   | 2 00                |
| and practices of successful growers. Ill., 223 pages  | 3.00                |
| DELAMARE COMPANY BOOKS  |                     |
| COON, NELSON-NURSERY SALES AND MANAGEMENT.  |                     |
| It gives fundamentals of nursery work to the beginner and very  |                     |
| helpful information to all. Particularly it deals with the sales end. 54 Ills., 240 pages   | 1.65                |
| 54 Ills., 240 pages   |                     |
| tions for the culture and uses of over 100 different genera. 155 Ills., 196 pages   | 1.65                |
| Ills., 196 pages  | 2.15                |
| HOTTES, ALFRED—THE BOOK OF TREES. 180 Ills., 448  | 3.65                |
| pages HOTTES, ALFRED — PLANT PROPAGATION, 999 Questions   | 2.15                |
| Answered  | 4.10                |

| Books—Continued.  |      |
|---|------|
| HOTTES, ALFRED.—THE BOOK OF SHRUBS. 187 Ills., 448  |      |
| pages HOTTES, ALFRED — ONE THOUSAND AND ONE GARDEN  | 3.15 |
| QUESTIONS ANSWERED  | 2.15 |
| JOHNSON, L. H.—FOUNDATION PLANTING. A valuable help in designing foundation plantings for residences, schools, factories, |      |
| garages, etc., over 208 Ill., 258 pages   | 5.00 |
| SUNDRY PUBLICATIONS   |      |
| SUNDICT FUBLICATIONS  |      |
| HOUGH—HANDBOOK OF TREES of the Northern States and  |      |
|   | 8.50 |

#### SUNDRIES

TERMS ON SUNDRIES: CASH WITH ORDER, OR C. O. D. NO DISCOUNTS. ALL PRICES ARE SUBJECT TO MARKET CHANGE.

#### PATENT WATERPROOF WIRELESS TREE LABELS

A very popular, handy label, particularly useful in shipping. They come in cartons of 1,000. 3 lbs. per 1,000 mailing weight.
1,000 5,000 50,000

50,000

\$8.50 \$37.50 \$4.60 \$1.00 f. o. b. Ohio For printing your address or anything else add for 1 line 40c per 1,000; 60c for 2 lines, and 80c for 3 lines; double if printed on both sides; 10 labels to the sheet. Samples on request. Prompt deliveries.

#### BENJAMIN CHASE CO. WOOD TREE LABELS

|                                 | Plain        | Painted |
|---------------------------------|--------------|---------|
|                                 | Per M        | Per M   |
| 3½ inch Iron or Copper wire.    | \$1.70       | \$2.20  |
| In lots of 5 thousand           | 1.55         | 2.15    |
| In lots of 10 thousand          | 1.50         | 2.10    |
| (These prices are F O R Dorry N | / <b>H</b> ) |         |

One thousand is the smallest that can be furnished except when printed for piercing add 20 cents per thousand to list price. For printing add 80 cents per thousand to list, for each side printed. Orders for a fraction of a hundred cannot be filled. Large orders for printed labels are entitled to a discount; submit your list and we will quote best price. We are glad to quote on all kinds of wood labels.

#### SEMESAN

SEMESAN acts as an antiseptic that either kills or retards the development of disease-producing bacteria and fungi which subsists on seeds and plants. Semesan will be found very useful in controlling damping off. Sold in tin containers: 2 Oz.....\$....50 ...\$2.50 5 lbs.... .....\$11.75 25 lbs.....\$46.25

1 lb.....\$2.50 F. O. B. here. Booklets on request.



#### NEPONSET WATERPROOF PAPER POTS

are a great and almost indispensable help to the grower. We supply them f.o.b. East Walpole, Mass. Write for complete price list and other information.



#### Granulated Peat Moss

Complying with many requests we have arranged for a regular supply of the best Boskoop brand, and Swedish. We ship from New York, Philadelphia, Boston, Baltimore, New Orleans, Mobile, and at slightly increased prices also from Chicago, Detroit, and Cleveland, Ohio.

|    |    |    |        | Per Bale |    |    |              |       | ,      |    | D-1-   |
|----|----|----|--------|----------|----|----|--------------|-------|--------|----|--------|
|    |    | •  | D 1    |          |    |    |              |       |        |    | Bale   |
| ŀ  | to | 9  | Bales. | at\$2.40 | 25 | to | 50           | Bales | s. at. |    | \$2.00 |
| 10 | to | 21 | Roles  | at 2.15  |    |    |              |       |        |    |        |
| 10 | w  | 27 | Dales, | a.10     | 91 | an | $\mathbf{a}$ | more  | Bales, | at | 1.90   |